

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 10

26 12 2007

ISSN 1015-8243

Selected Bibliography on the Lepidoptera of Caucasus Region

Ahmet Ö. Koçak ¹ Muhabbet Kemal ²
Selma Seven ³
Halil Özkol ⁴ Lokman Kayci ⁵

Abstract: Selected Bibliography on the Lepidoptera of Caucasus Region. *Cent. ent. Stud., Priamus Suppl.* 10: 1-44, 1 Map.

This bibliographical study contents partial results of the Cesa Projects, Lepidoptera of Asia (LAS). Selected 1018 publications on the Lepidoptera of the Caucasus Region (including Southern Russia, Georgia, Armenia, Azerbaidjan and Turkey (in part), have been listed for the first time according to the author names and date of publications.

Keywords: Lepidoptera, bibliography, Caucasus region.

¹ c/o Yüzüncü Yıl University, Faculty of Science and Arts, Dept. Biology, Campus, Van, Turkey

² c/o Yüzüncü Yıl University, Faculty of Science and Arts, Dept. Biology, Campus, Van, Turkey

³ Gazi University, Faculty of Science and Arts, Dept. Biology, Teknikokullar, Ankara, Turkey

⁴ c/o Yüzüncü Yıl University, Faculty of Science and Arts, Dept. Biology, Campus, Van, Turkey

⁵ c/o Yüzüncü Yıl University, Faculty of Science and Arts, Dept. Biology, Campus, Van, Turkey

During the preparation of the Cesa Projects, concerning Lepidoptera of Asia (LAS), several preliminary reports have been recently published⁶.

The present study is the first attempt within the Cesa Projects in preparing the Lepidoptera of the Caucasus Region. Selected publications on the Lepidoptera of this very important mountain range based upon the information system and the library of the Cesa are presented here for the first time. Although the total number of the selected publications is rather low, this will certainly be increased soon. Among the 1018 publications, more than 760 items (<74%) are available in the Cesa Library. They have been evaluating faunistically for the planned comprehensive study.⁷

The Caucasus is a mountain range between the Black Sea and the Caspian Sea, with three massive peaks: the Elbrus (5642m), the Kazbek (5047m), and the Ağrı Dağı [Ararat] (5165m). The region covers nearly 500,000 km², occupied by Russian Federation in the North (with the political divisions, Rostov on Don Region, Krasnodar Region, Adygei Republic, Sochynskiy, Stavropol Region, Karachay and Cherkessia Republic, Kabardino-Balkaria Republic, North Ossetia Republic, Chechnya Republic, Ingushetia Republic, Daghestan Republic, Kalmykia Republic), by Georgia, Armenia, Azerbaidjan, and Turkey (Artvin, Kars, Ardahan, and Iğdır provinces) in the south.



Map 1- A physical map of the Caucasus Region with adjacent countries (from Encarta, Microsoft, Version 1998).

⁶ Koçak, A.Ö. & M. Kemal, 2006, Checklist of Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 1: 1-196.- Koçak, A.Ö. & M. Kemal, 2007, Revised and Annotated Checklist of Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 8: 1-150, 2 Tables.- Kemal, M. & A.Ö. Koçak, 2007, Annotated check-list of the butterflies of the Uighur Ili (Lepidoptera). Priamus 11 (4): 61-80.- Kemal, M. & A.Ö. Koçak, 2007, Chapter 8: Illustrated list of the Lepidoptera recorded in Uighur Ili, [in] Koçak, A.Ö. & M. Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. Cent. ent. Stud., Memoirs 3-4: 1685-1717, Pls. - Kemal, M. & A.Ö. Koçak, 2007, Chapter 9: List of the Lepidoptera recorded in Iraq, [in] Koçak, A.Ö. & M. Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. Cent. ent. Stud., Memoirs 3-4: 1685-1718-1739.- Koçak, A.Ö. & M. Kemal, 2007, Chapter 13. List of the Lepidoptera recorded in Afghanistan, [in] Koçak, A.Ö. & M. Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. Cent. ent. Stud., Memoirs 3-4: 1766-1789. - Koçak, A.Ö., Kemal, M. & S. Seven, 2007, Chapter 14: Illustrated list of the Lepidoptera recorded in Iran, [in] Koçak, A.Ö. & M. Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. Cent. ent. Stud., Memoirs 3-4: 1790-1848, Pls. ⁷ Next items of this series will be published in this journal at irregular intervals. Estimated number of the recorded Lepidopteran species in Caucasus Region is more than 2800. The first comprehensive list of the family Noctuidae in the Caucasus Region will be published soon with more than 900 species.

The northern portion of the Caucasus is known as the Ciscaucasus and the southern portion as the Transcaucasus⁸. Romanoff (1884-1887) included the Turkish territories, Ardanuç, Kars, Iğdır, Kazıkoparan, Kulp, and Ağrı Dağı [Ararat] to the region Transcaucasie. For that reason, the present provinces of Turkey, Artvin, Ardahan, Kars and Iğdır, in which the localities mentioned above are found, are considered in this publication as a part of the Caucasus Region.

List of the Selected Publications on the Caucasian Lepidoptera

Totally 1018 publications are presented below according to the family names of the authors in alphabetical and in chronological order, respectively.

1. **Ackery, P.R.**, 1973, A list of the type-specimens of *Parnassius* in the British Museum (Natural History). Bull. Br. Mus. (Nat. Hist.) Ent. 29: 1-35.
2. **Ackery, P.R.**, 1975, A Guide to the genera and species of Parnassiinae (Lepidoptera, Papilionidae). Bull. Br. Mus. (Nat. Hist.) Ent. 31(4): 71-105, 32 figs., 16 pls.
3. **Adamczewski, S.**, 1951, On the systematics and origin of the generic group *Oxyptilus* Zeller (Lepidoptera, Alucitidae). Bull. Br. Mus. (Nat. Hist.) Ent. 1(5): 301-388, pls.
4. **Agassiz, J.L.R.**, 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman.
5. **Agassiz, R.D. & B. Skinner**, 1980, The apparent absence from Britain of *Thera variata* (Denis & Schiffermueller) and related changes in the nomenclature. Entomologist's Rec. J. Var. 92(7/8): 162-166, pls.
6. **Agenjo, R.**, 1941, Monografía de la Familia Thaumetopoeidae (Lepidoptera). Eos 17: 69-130, 5 pls.
7. **Agenjo, R.**, 1956, Monografía del genero *Narraga* Wlk. (Lepidoptera, Geometridae). Eos 32: 7-56, pls.
8. **Agenjo, R.**, 1958, Tribus y Subtribus de la Subfamilia Phycitinae Cotes, 1899 (Lepidoptera, Phycitidae). Eos 34: 205-208.
9. **Agenjo, R.**, 1961, Morfología y distribución geográfica de la *Chazara briseis* (L., 1764) en la península Española. Eos 37: 113-123.
10. **Agenjo, R.**, 1964, Los nombres vulgares de las mariposas españolas. Graellsia 20: 149-162, 163-190.
11. **Ahola, M.**, 1986, Larvae of European *Polia* Ochsenheimer (Lepidoptera, Noctuidae), with proposals on a subgeneric division and phylogeny. Ent. scand. 17: 55-74, figs.
12. **Alberti, B. & K. Fritsch**, 1983, Über einige bemerkenswerte Funde von Lepidoptera aus dem Grossen Kaukasus. Nota lepid. 6 (4): 192-202, figs.
13. **Alberti, B.**, 1954, Über die stammesgeschichtliche Gliederung der Zygaenidae, nebst Revision einiger Gruppen (Insecta, Lepidoptera). Mitt. zool. Mus. Berl. 30: 115-480, 33 figs., 63 pls.
14. **Alberti, B.**, 1955, Zur Stammesgeschichte und Systematik der Zygaenini (Lepidoptera, Zygaenidae). Dt. ent. Z. (N.F.) 2: 301-321, 5 figs., 5 Pls.

⁸ Important publications on the Transcaucasian Lepidoptera are as follows (in alphabetical order): **Alberti, B.**, 1973, Zweite Mitteilung ueber einige neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). Atalanta 4(6): 380-393, 2 pls. - **Emich, G.**, 1872, Beitrag zur Lepidopteren-Fauna Transkaukasiens und Beschreibung zwei neuer Arten. Horae Soc. ent. ross. 9: 40-44, Tab. - **Lederer, J.**, 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie. Annls. Soc. ent. Belg. 13: 17-54, 2 Taf. - **Romanoff, N.M.**, 1884-1887, Les Lépidoptères de la Transcaucasie. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; ibid. 2: 1-118, Pls.; ibid. 3: 1-49, Pls. - **Samodurov, G.D., Korolev, V.A. & W.W. Tshikolovez**, 1996, Neue Taxa der Satyrinen-Gattung *Hyponephele* Muschamp, 1915 (Lepidoptera, Nymphalidae, Satyrinae) aus Mittelasien und Transkaukasien. Nachr. ent. Ver. Apollo (N.F.) 17(1): 21-40, 24 Abb. - **Sheljuzhko, L.**, 1927, *Zerynthia cerisyi* Godart in Transcaucasien. Dt. ent. Z., Iris 40: 197-204. - **Sheljuzhko, L.**, 1935, Zwei neue *Parnassius*-Rassen aus Transkaukasien. Z. öst. EntVer. 20: 22-24, Taf. - **Sheljuzhko, L.**, 1935, Eine neue Rasse von *Callimorpha quadripunctaria* Poda aus Transkaukasien. *Callimorpha quadripunctaria* tkatshukovi (ssp. nov.). Z. öst. EntVer. 20: 21-22, 36, 67. - **Urbahn, E.**, 1971, Eine neue *Anaitis*-Art aus Transkaukasien: *Anaitis uniformata* n.sp. Ent. Z., Frankf. a. M. 81 (21): 244-247, Abb.

15. **Alberti,B.,** 1955, Zur Kenntnis der Gattung *Carcharodus* Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z. Lepid. 3: 105-142, figs.
16. **Alberti,B.,** 1956, Zur Umgrenzung und Gliederung von *Zygaena* F. Ent. Z., Frankf. a. M. 66: 200-206.
17. **Alberti,B.,** 1965, Über *Eupithecia subfenestrata* Stgr. (Lepidoptera, Geometridae). Dt. ent. Z. (N.F.) 12(4/5): 375-377, 2 Abb.
18. **Alberti,B.,** 1965, Zur Kenntnis der *Plusia modesta* Hb.-Gruppe (Lepidoptera, Noctuidae). Dt. ent. Z. (N.F.) 12(4/5): 365-369, figs.
19. **Alberti,B.,** 1965, Westasiatische und nordkaukasische *Procris* Funde (Lepidoptera, Zygaenidae). Opusc. zool. 88: 1-7, figs.
20. **Alberti,B.,** 1969, Neue oder bemerkenswerte Lepidopteren-Formen aus dem Großen Kaukasus. Dt. ent. Z. (N.F.) 16(1/3): 189-203, 3 Taf., 1 Karte.
21. **Alberti,B.,** 1970, Über zwei Taxa der Gattung *Procris* F. (Lepidoptera, Zygaenidae). Mitt. münch. ent. Ges. 58: 78-83, 1 Abb.
22. **Alberti,B.,** 1973, Zweite Mitteilung ueber einige neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). Atalanta 4(6): 380-393, 2 pls.
23. **Alberti,B.,** 1973, Ergänzende Bemerkungen zu Higgins & Riley "A field guide to the butterflies of Britain and Europe", nebst Beschreibung der *Lycaena pyrenaica latedisjuncta* n.subsp. Ent. Z., Frankf. a. M. 83: 217-223.
24. **Alberti,B.,** 1974, Zur Kenntnis der Artgruppe um *Melitaea athalia* im Kaukasus (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 84: 157-164, figs.
25. **Alberti,B.,** 1974, Über die Identität von *Procris staudingeri* Alberti, mit *Procris hector* Jordan, nebst Beschreibung einer neuen Unterart von *Procris volgensis* (Lepidoptera, Zygaenidae). Ent. Z., Frankf. a. M. 84: 48-51, 6 figs.
26. **Alberti,B.,** 1975, Über eine neue Form von *Endromis versicolora* (Lep., Endromididae). Ent. Z., Frankf. a. M. 85(8): 85-89, Abb.
27. **Alberti,B.,** 1981, Über Wesen und Aussagegrenzen der "Phylogenetischen Systematik" von Hennig, untersucht am Beispiel der Zygaenidae. Mitt. münch. ent. Ges. 71: 1-31, 7 figs.
28. **Alberti,B.,** 1984, Zur Taxonomie der *Pyrgus alveus* Hb.- Gruppe (Lepidoptera, Hesperidae). Nota lepid. 7 (1): 2-6.
29. **Albrecht,M., Goldschalt,M. & R.Treiber,** 1999, Der Heilziest-Dickkopffalter *Carcharodus floccifera* (Zeller,1847) (Lepidoptera, Hesperidae). Nachr. ent. Ver. Apollo, Suppl. 18: 1-256, 76 Abb. Tab.
30. **Aliiev,S.V.,** 1984, Noctuidae (Lepidoptera) of Azerbaidzhan. Elm, Baku 1984:1-277, figs.
31. **Alpheraky,S.N.,** 1876, Die Schmetterlinge der Umgegend von Taganrog. Trudy russk. ent. Obshch. 8: 150-226.
32. **Alpheraky,S.N.,** 1877, Lepidoptera Caucasi Septentrionalis. Trudy russk. ent. Obshch. 10: 3-34.
33. **Alpheraky,S.N.,** 1880, *Hypenodes balneorum* sp.n. Horae Soc. ent. ross. 15: 137-138.
34. **Alpheraky,S.N.,** 1880, Die Lepidopteren der Umgegend von Taganrog. Trudy russk. ent. Obshch. 11: 45-50.
35. **Alpheraky,S.N.,** 1883, Ueber die Gattung *Colias* F. Stettin ent. Ztg. 44: 488-495.
36. **Alpheraky,S.N.,** 1893, *Metopoplus* gen.n., [in] Christoph,A., Lepidoptera nova faunae palaearticae. Dt. ent. Z., Iris 6: 92.
37. **Alpheraky,S.N.,** 1908, Schmetterlinge der Umgebung von Taganrog. Horae Soc. ent. ross. 38: 558-627.
38. **Alpheraky,S.N.,** 1913, Quelques donnees sur les races de la Zegris eupheme Esper. Etud. Lepid. comp. 7: 221-234.
39. **Amsel,H.G.,** 1959, Microlepidopteren aus dem Kaukasus und der Ukraine. Acta ent. Mus. natn. Pragae 33: 419-422.
40. **Arenberger,E.,** 1981, Die *Pterophorus*- Arten West- und Zentralasiens. 2.Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 33(1/2): 17-29, figs.

41. **Arenberger,E.,** 1988, Taxonomische Klarstellungen bei den Pterophoridae (Lepidoptera). *Staphia* 16: 1-12, 18 figs.
42. **Arnold,E.,** 1909, Auf die Suche nach *Parnassius nordmanni*. *Ent. Z., Stuttgart* 23(36): 159-161, 2 figs.
43. **Arutyunyan,R.G.,** 1989, New data on Phycitinae (Lepidoptera) of Armenia. *Ent. Obozr.* 69 (3): 642-656, figs.
44. **Aurivillius,C.,** 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. *Dt. ent. Z., Iris* 7: 121-192.
45. **Aussem,B., Freina,J.J.de & T.Witt,** 1985, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Zur Situation der Gattung *Paidia* Hbn. [1819] 1816 in Europa und Nordwestafrika (Lepidoptera, Arctiidae) VII. *Atalanta* 16: 109-113.
46. **Austaut,J.L.,** 1889, Les *Parnassiens* de la faune Palearctique. 222pp., 32 Pls., Leipzig.
47. **Back,H.E.,** 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung *Pleurota* (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken.
48. **Back,W.,** 1991, Taxonomische Untersuchungen innerhalb der Artengruppe um *Euchloe ausonia* (Hübner,1804) (Lepidoptera, Pieridae). *Atalanta* 21 (3/4) (1990): 187-206, Taf. ii,iii.
49. **Bacot,A.W.,** 1895, The genus *Smerinthus*. *Entomologist's Rec. J. Var.* 6(8): 173-181.
50. **Baldizzone,G.,** 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). *Assoc. natur. Piemont. Memorie* 3: 1-423, 699 figs.
51. **Balint,J., Kertesz,A. & V.A.Lukhtanov,** 1992, A survey of the subgenus *Plebejides* Sauter,1968 (Lepidoptera, Lycaenidae). *Ent. Obozr.* 71 (4): 863-886, 74 figs.
52. **Balint,Z., Herczig,B., Hreblay,M. & A.Uherkovich,** 1996, Contribution to the knowledge of the butterfly fauna of the northeastern Caucasus region (Lepidoptera, Rhopalocera and Hesperidae). *Linneana Belgica* 15 (8): 348-355, 1 Pl.
53. **Ballion,E.,** 1886, Verläufiges Verzeichnis der Schmetterlinge aus der Umgegend von Novorossijk am Schwarzen Meere im Caucasus. *Bull. Soc. nat. Moscou* 62: 241-290.
54. **Bang-Haas,A.,** 1907, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 20: 69-88, Taf.
55. **Bang-Haas,O.,** 1927, *Horae Macrolepidopterologicae regionis palaearcticae* Vol. 1. Neubeschreibungen und Berichtigungen der Palaearktischen Lepidopterenfauna. xxviii+ 128S. 11 Taf. Dresden-Blasewitz.
56. **Bang-Haas,O.,** 1930, *Novitates Macrolepidopterologicae* Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz.
57. **Bang-Haas,O.,** 1937, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXVII. *Ent. Z., Frankf. a. M.* 50: 562-564, 4 Abb.
58. **Bartel,M.,** 1899-1902, *Nachtfalter*. [In] Rühl,F., *Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte*. Vol.2. (Lief.17-23). 336 pp. Leipzig.
59. **Bartel,M.,** 1912, *Aegeriidae* (Sesiidae). [In] Seitz,A., *Die Gross-Schmetterlinge der Erde* 2: 375-416, pls. Stuttgart.
60. **Beck,H.,** 1989, Verantwortungsvolles Taxieren, Appell an den "Internationalen Trust for Zoological Nomenclature". Beschreibung einer neuen Unterart von *Cucullia blattariae* (Esper,1790): *Cucullia blattariae eugeniae* subsp.n. Synonymien im Genus *Cucullia* (Lep.,Noctuidae). *Atalanta* 19: 189-217, figs.
61. **Beck,H.,** 1991, Taxonomische Aenderungen bei den Noctuidae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae). *Atalanta* 22 (2/4): 175-232.
62. **Beck,H.,** 1992, New view of higher classification of the Noctuidae (Lepidoptera). *Nota lepid.* 15(1): 3-28, 7 figs.
63. **Beck,H.,** 1993, III. Corrigenda and Addenda zu Beck (1991): "Taxonomische Aenderungen bei den Noctuidae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae)". Beschreibung der Raupe von *Perplexhadena syriaca* (Osthelder,1933) comb.nov. *Atalanta* 23 (3/4): 605-611, pls.
64. **Beck,H.,** 1996, Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). *Neue ent. Nachr.* 36: 1-122.

65. **Beck,H., Kobes,L. & M.Ahola,** 1993, Die generische Aufgliederung von *Noctua* Linnaeus,1758 (Lepidoptera, Noctuidae, Noctuinae). *Atalanta* 24 (1/2): 207-264, 16 Pls.
66. **Behounek,G.,** 1992, Die holarktischen Arten der Gattung *Lacanobia* Billberg,1820 (Lepidoptera, Noctuidae, Hadeninae). *Esperiana* 3: 33-65, Abb.
67. **Belter,G.,** 1934, Neues aus der *Melitaea didyma* Esp.- Gruppe, mit Berücksichtigung des Materials des Deutschen Entomologischen Instituts. *Arb. morph. taxon. Ent. Berl.* 1: 105-115, figs.
68. **Bengtsson,B.A.,** 1989, Two new scythridis species from South Europe - *Scythris jaeckhi* n.sp. and *S. nieukerkeni* n.sp. (Lepidoptera, Scythrididae). *Phegea* 17: 75-81, figs.
69. **Bengtsson,B.A.,** 1997, Scythrididae, [in] Huemer,P. Karsholt,O. & L.Lyneborg, *Microlepidoptera of Europe* 2: 1-301, Pls.
70. **Bergsträßer,J.A.B.,** 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 2: 1-79, Pls. 15-48. Hanau.
71. **Bergsträßer,J.A.B.,** 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 3: 1-48, Pls. 49-72. Hanau.
72. **Bergsträßer,J.A.B.,** 1780, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 4: 1-47, Pls. 73-96. Hanau.
73. **Berio,E.,** 1955, Sulla distribuzione geografica della *Noctua algira* L. e sulle specie affini (Lep., Noctuidae). *Boll. Soc. ent. ital.* 85(9/10): 140-148, 24 figs.
74. **Bernardi,G.,** 1945, Etudes sur le genre *Euchloe* Hb. (Lep., Pieridae). *Misc. Ent.* 42: 65-103, Pls.
75. **Bernardi,G.,** 1970, Note sur la Variation géographique d'*Allancastris cerisyi* Godart (Papilionidae). *Lambillionea* 70: 55-64.
76. **Bernardi,G.,** 1970, La Variation géographique de l'*Anthocharis grüneri* H.S. *Lambillionea* 70: 1-13, figs.
77. **Bethune-Baker,G.T.,** 1913, Notes on the specific distinction of certain species in the orbitulus and pheretiades section of the genus *Plebeius*. *Trans. ent. Soc. London* 1913: 205-212, pls.vi-viii.
78. **Beuret,H.,** 1952, *Palaeochrysophanus candens* H.S., eine bisher verkannte Art (Lycaenidae). *Mitt. ent. Ges. Basel* 2: 57-64, figs.
79. **Beuret,H.,** 1958, Zur systematischen Stellung einiger wenig bekannten *Glaucopsyche* (Lep., Lycaenidae). *Mitt. ent. Ges. Basel* 8: 61-79, 81-100, pls.
80. **Bidzilya,O.,** 2005, A review of the genus *Athrips* (Lepidoptera, Gelechiidae) in the Palaearctic Region. *Dt. ent. Z.* 52 (1): 3-72, figs.
81. **Billberg,G.J.,** 1820, *Enumeratio insectorum in Museo Billberg*, 138pp., Holmiae.
82. **Bleszynski,S. & R.J.Collins,** 1962, A short catalogue of the world species of the family Crambidae (Lepidoptera). *Acta zool. cracov.* 7: 197-389.
83. **Bleszynski,S.,** 1957, Studies on the Crambidae (Lepidoptera). Part XIV. Revision of the European species of the generic group *Crambus* (s.l.). *Acta zool. cracov.* 1: 161-622, pls.27-92.
84. **Bleszynski,S.,** 1965, Crambinae, [In] Amsel,H.G., Reisser,H. & F.Gregor: *Microlepidoptera Palaearctica* 1: xlvii + 533pp. 133 pls., Wien
85. **Bleszynski,S.,** 1970, A revision of the world species of *Chilo* Zincken (Lepidoptera, Pyralidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 25: 101-195, 5 pls.
86. **Bogdanov,P.V.,** 1997, Geographical division, [in] Tusov,V.K., *Guide to the butterflies of Russia and adjacent territories* (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
87. **Bogdanov,P.V., Samodurov,G.D. & V.K.Tusov,** 1997, Family: Satyridae, [in] Tusov,V.K., *Guide to the butterflies of Russia and adjacent territories* (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
88. **Boisduval,J.B.A.,** 1828, *Europaeorum Lepidopterorum index methodicus*. 103pp., Paris. [issued Nov.1828; vide *Bibl.Franç.* 1828: 845]

89. **Boisduval, J.B.A.**, 1828, Essai sur une Monographie des Zygénides, suivie d'un tableau méthodique de classification des Lépidoptères. xxvi+132 pp. 8 pls. Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 836]
90. **Boisduval, J.B.A.**, 1832-[1834], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.1, 252 pp., 47 pls. Paris.
91. **Boisduval, J.B.A.**, 1834-[1841], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.2, 208 pp., 37 pls. Paris.
92. **Boisduval, J.B.A.**, 1836, Histoire naturelle des Insectes. Spécies général des Lépidoptères vol.1, [4]+ xii + 690 + 6pp., 24 pls. Paris.
93. **Boisduval, J.B.A.**, 1840, Genera et Index Methodicus Europaeorum Lepidopterorum, 238 pp. Paris. [out by 9 May; vide Bibl. Franç].
94. **Boisduval, J.B.A.**, 1848, Note relative aux Lépidoptères recueillis par Kindermann aux environs d'Odessa et au pied du Caucase. Annls Soc. ent. Fr. 2(6): xxviii- xxx.
95. **Bollow, C.**, 1929, Gattung Parnassius Latr. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 20-91, pls. Stuttgart.
96. **Bollow, C.**, 1929-1930, Gattung Parnassius Latr. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 20-83. Stuttgart.
97. **Bollow, C.**, 1930, Familie Pieridae. [In] Seitz, A., Die Gross-Schmett. Erde, Suppl. 1: 96-125. Stuttgart.
98. **Bollow, C.**, 1930, Familie Nymphalidae. Gruppe: Apaturidi. [In] Seitz, A., Die Gross-Schmett. Erde, Suppl. 1: 191-196. Stuttgart.
99. **Bollow, C.**, 1930, Subfam. Nymphalinae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 191-198, pl. Stuttgart.
100. **Bollow, C.**, 1930, Fam. Lycaenidae (Gattung Virachola-Taraca). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 251-306, pls. Stuttgart
101. **Bollow, C.**, 1930, Fam. Pieridae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 93-125, pls. Stuttgart.
102. **Bollow, C.**, 1930-1931, Familie Lycaenidae. [In] Seitz, A., Die Gross-Schmett. Erde (Suppl.) 1: 249-296. Stuttgart.
103. **Bollow, C.**, 1931, Nachträge zur Familie Papilionidae, Pieridae, Satyridae (Lethe-Erebia). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 327-339, pl. Stuttgart.
104. **Bollow, C.**, 1931, Nachträge zu den Lycaenidae (Gruppe der Lycaenini), Hesperidae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 353-354. Stuttgart.
105. **Bollow, C.**, 1931, Nachträge zur Fam. Nymphalidae (Nymphalinae). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 341-342. Stuttgart.
106. **Bollow, C.**, 1932, Familie Saturniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 129-135. Stuttgart.
107. **Borkhausen, M.B.**, 1788, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 1. 288pp. Frankfurt.
108. **Borkhausen, M.B.**, 1789, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 2. 239pp. pl., Frankfurt.
109. **Borkhausen, M.B.**, 1790, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 3. 476pp. Frankfurt.
110. **Borkhausen, M.B.**, 1792, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 4. 809pp. Frankfurt.
111. **Borkhausen, M.B.**, 1794, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 5. 572pp. Frankfurt.
112. **Borodin, A.M., Bannekov, A.G. & V.E. Sokolov et al.**, 1984, Red Book of the SSSR 1: 390pp. figs. Moscow.
113. **Boudinot, J.**, 1986, Observations sur le cycle biologiques d'*Azuritis reducta* (Stgr.) (Lepidoptera, Nymphalidae) Alexanor 14 (7): 315-322, 12 figs.

114. **Boudinot,J.,** 1986, Description d'un genre nouveau parmi les Limenitini paléarctiques (Lepidoptera, Nymphalidae) Nouv. Rev. Ent. (n.s.) 2 (4): 403-409.
115. **Boursin,C.,** 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. Mitt. münch. ent. Ges. 30: 474-543, Taf.viii-xii.
116. **Boursin,C.,** 1944, Contribution a l'étude de la faune du Caucase et de l'Arménie. Revue fr. Ent. 10 (3): 75-84, pls.2,3.
117. **Boursin,C.,** 1946, Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. Revue fr. lépid. 10: 186-192.
118. **Boursin,C.,** 1959, Über zwei für Europa neue Haden-Arten (=Dianthoecia B.) *Hadena clara* Stgr. (1901), *bona* sp.! und *Hadena urumovi* Dren. (1931), *bona* sp.! Z. wien. ent. Ges. 44: 113-131, pls.5-11.
119. **Boursin,C.,** 1962, Eine neue *Cardepia* Hps. aus Turkestan. Z. wien. ent. Ges. 47: 160-162, Taf.14.
120. **Boursin,C.,** 1962, Nouvelles races de Noctuidae Palaearctiques avec une note synonymique (Lep.). Bull. mens Soc. linn. Lyon 31: 302-305.
121. **Boursin,C.,** 1963, Eine neue *Pseudohadena* Stgr. aus Chinesisch-Turkestan (Beiträge zur Kenntnis der Noctuidae-Trifinae, 131). Z. wien. ent. Ges. 48: 38-40, 2 Taf.
122. **Bramson,K.L.,** 1910, Analytische Uebersicht der Formen von *Melitaea didyma* O. Horae Soc. ent. ross. 39: 391-410.
123. **Bridges,C.A.,** 1988, Catalogue of the family-group genus-group and species-group names of the Hesperioidea (Lepidoptera) of the World. Urbana Illinois (Sebstverlag).
124. **Bridges,C.A.,** 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois.
125. **Brown,J.W.,** 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
126. **Bryk,F. & C.Eisner,** 1934, Zwei neue Rassen von *P. mnemosyne* L. aus Armenien. Parnassiana 3: 38-39, figs. 3-4.
127. **Bryk,F.,** 1912, Syntomidae. [in] Wagner,H., Lepidopterorum Catalogus Pars 7. 179pp. Dr.W.Junk Berlin.
128. **Bryk,F.,** 1912-1914, Parnassiana v. Zur Synopsis der asiatischen Mnemosyne. Societas Ent. 27 (1912): 24-25, 38-40, 48-50, 52-53, 61-62, 87-89, 99-101, 106-107, 25 figs.; ibid. 28 (1913): 14-16; 29 (1914): 42-44, 66-71, figs.
129. **Bryk,F.,** 1914, Randbemerkungen zu Dr. Pagenstechers *Parnassius apollo* in Kaukasien. Mitt. münch. ent. Ges. 4: 70-74.
130. **Bryk,F.,** 1914-1915, Über das Abändern von *Parnassius apollo* L. Untersuchungen über Biologie und Zeichnungsverhältnisse des Formenkreis *Parnassius apollo* L. Arch. Naturgesch. 80 A (5): 131-160, figs. 1-9, pl. 1-3 [1914]; (6): 149-180, figs. 10-29, pl.4-8 [1914]; (7): 153-184, figs. 30-36, pl.9-13 [1915]; (8): 143-174, pl.14-21 [1915]; (9): 133-164, pl.22-29 [1915]; (10): 147-167, pl.30-35 [1915].
131. **Bryk,F.,** 1923, Baroniidae, Teinopalpidae, Parnassiidae. [in] Strand,E. Lepidopterorum Catalogus 24 (27): 1-247.
132. **Bryk,F.,** 1932, Neue Zerynthiinae. Parnassiana 2: 102-104.
133. **Bryk,F.,** 1934, Lymantriidae, [in] E.Strand, Lepidopterorum Catalogus. Pars 62: 1-441 pp. W.Junk, Berlin.
134. **Bryk,F.,** 1934, Lepidoptera Baroniidae, Teinopalpidae, Parnassiidae Pt.1 Tierreich 64: xxiii + 129 pp., 87 figs.
135. **Bryk,F.,** 1935, Lepidoptera Parnassiidae Pt.II (Subfam. Parnassiinae). Tierreich 65: li + 788 pp., 698 figs.
136. **Bryk,F.,** 1936, Zygaenidae II. [in] Bryk,F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W.Junk 's-Gravenhage.
137. **Bryk,F.,** 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk,F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage.
138. **Brünnlich,M.T.,** 1863, Insecta Lepidoptera [in] Pontoppidan,E., Den Danske Atlas I: 684-689, pl.30, figs. Kiobenhavn.

139. **Bytinski-Salz,H.,** 1939, New Amatidae from Asia. Entomologist's Rec. J. Var. 51: 149-153, pl.x.
140. **Calle,J.A.,** 1982, Noctuidos Espanoles. 430pp., 56 Lam., 681 figs. Ministerio de Agricultura, Pesca y Alimentacion, Madrid.
141. **Canterer,L.P.,** 1834-[1835], Histoire naturelle des Lepidopteres Rhopaloceres ou Papillons diurnes, des Departements des Haut et Bas-Rhin, de la Moselle, de la Meurthe et des Vosges. 166 pp., 39 pls. Paris.
142. **Capdeville,P.,** 1978-1980, Les races géographiques de Parnassius apollo. 6 parts. 191pp. 24 col. pls.
143. **Caradja,A.v.,** 1920, Beitrag zur Kenntnis der geographischen Verbreitung der Microlepidopteren des palaearktischen Faunengebietes nebst Beschreibung neuer Formen. Dt. ent. Z., Iris 34: 75-179.
144. **Carbonell,F.,** 1994, Contribution à la connaissance du genre Polyommatus Latreille (1804): le complexe ultraspécifique de Polyommatus eros-eroides au Moyen-Orient et en Transcaucasie (Lepidoptera, Lycaenidae) (1re partie: descriptions de nouveaux taxa). Linneana Belgica 14 (4): 227-234, figs.
145. **Carter,D.,** 1992, Butterflies and Moths. 304pp., figs. Dorling Kindersley, London
146. **Chainey,J.E.,** 2005, The species of Papilionidae and Pieridae (Lepidoptera) described by Cramer and Stoll and their putative type material in the Natural History Museum in London. Zool. J. Linn. Soc. 145: 283-337, 43 figs.
147. **Chapman,T.A.,** 1917, Micropteryx entitled to ordinal rank. Order Zeugloptera. Trans. ent. Soc. London 1916: 310-314, 12 figs.
148. **Choi,S.-W.,** 2000, A cladistic analysis of the Therini: A new synonym of the Cidariini (Lepidoptera, Geometridae, Larentiinae). Amer. Mus. Novit. 3295: 1-25, 61 figs., 3 tab.
149. **Choi,S.-W.,** 2001, Phylogeny of Eulithis Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. Amer. Mus. Novit. 3318: 1-37, 24 figs., 2 Tab.
150. **Christoph,H.,** 1877, Sammelergebnisse aus Nordpersien, Krasnowodsk in Turkmenien und dem Daghestan. Horae Soc. ent. ross. 12: 181-299, figs.
151. **Christoph,H.,** 1881, Eine Reise im westlichen Caucasus. Stettin ent. Ztg. 42(4/6): 157-166.
152. **Christoph,H.,** 1888, Diagnosen zu einigen neuen Lepidopteren des palaearktischen Faunengebietes. Horae Soc. ent. ross. 22: 308-314.
153. **Christoph,H.,** 1892, Pellonia tabidaria Z. und Pellonia sieversi Chr. Stettin ent. Ztg. 53: 245-247.
154. **Christoph,H.,** 1893, Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 86-96.
155. **Clerck,C.,** 1759-[1764], Icones Insectorum Rariorum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae.
156. **Coenen,F.,** 1990, Révision du statut taxonomique de quelques populations de Pieris napi (Linnaeus, 1758) du sud-est de l'Europe et du Proche-Orient (Lepidoptera, Pieridae). Phegea 18(2): 89-124, 38 figs.
157. **Corley,M.F.V.,** 2001, Pseudosphronia, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs.
158. **Corti,A. & M.Draudt,** 1933, Phalaenae. [in] Seitz,A., Die palaearktischen Eulenartigen Nachtfalter. Die Gross-Schmett. Erde 3 (Suppl.): 1-91, Taf. Stuttgart.
159. **Corti,A.,** 1927, Studien über die Subfamilie der Agrotinae (Lep.) XIV. Zwei neue palaearktische Agrotinae: A. ellapsa, Xestia effundens spp.n. Feltia enitens marmorosa v.nov. Mitt. münch. ent. Ges. 17: 9-12, 1 Taf.
160. **Corti,A.,** 1930, Studien über die Subfamilie der Agrotinae (Lep.) XXIII. A. multangula und deren Formen: A. vicina sp.n., A. guberlae sp.n. caloricata sp.n. und einige verwandte Arten. Mitt. münch. ent. Ges. 20: 1-20.
161. **Coutsis,J.G.,** 2001, The male genitalia of the butterflies placed in the subgenus Neolysandra of the genus Polyommatus (Lycaenidae). Nota lepid. 24 (1/2): 65-72, figs.
162. **Coutsis,J.G.,** 2004, Revision of the Turanana endymion species-group (Lycaenidae). Nota lepid. 27 (4): 251-272.

163. **Coutsis,J.G.,** 2006, Revision of the Turanana endymion species-group (Lycaenidae) - a correction. *Nota lepid.* 28 (3/4) (2005): 202.
164. **Coutsis,J.G.,** 2006, Additional revisionary actions and corrections in the Turanana endymion species-group (Lepidoptera). *Nota lepid.* 29 (1/2): 17-25.
165. **Cowan,C.F.,** 1985, The type-species of *Hipparchia* Fabricius,1807 (Lepidoptera, Satyridae). *Entomologist's Gaz.* 36: 284.
166. **Cramer,P.,** [1775], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: parts (1)-(7): xxx, 16 pp. 1-132, pls. 1-84, "1779".* Amsterdam & Utrecht.
167. **Cramer,P.,** [1776], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: part (8): pp. 133-156, pls. 85-96,* Amsterdam & Utrecht.
168. **Cramer,P.,** [1777], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 2: parts (9)-(16): pp. 1-152, pls. 97-192,* Amsterdam & Utrecht.
169. **Cramer,P.,** [1779], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (17)-(21): pp. 1-104, pls. 193-252,* Amsterdam & Utrecht.
170. **Cramer,P.,** [1780], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (22)-(24): pp. 105-176, pls. 253-288,* Amsterdam & Utrecht.
171. **Cramer,P.,** [1780], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4: parts (25)-(26a): pp. 1-28, pls. 289-304,* Amsterdam & Utrecht.
172. **Culot,J.,** 1917-[1918], *Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iii). 268 pp., 1-37 pls.* Genève.
173. **Culot,J.,** 1919-1920, *Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iv). 167 pp., 38-69 pls.* Genève.
174. **Curtis,J.,** 1823-1840, *British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. 16 vols. 770 pls.* London.
175. **D'Abbrera,B.,** [1987], *Sphingidae Mundi: Hawk Moths of the World. x+226pp.,* Faringdon.
176. **Dabrowski,J.S.,** 1981, Selected problems of Lepidoptera protection in Soviet Central Asia, Armenia and the Caucasus Mountains. *Nota lepid.* 4(3): 93-98, 4 figs.
177. **Dalla Torre,K.W.v.,** 1914, Thyrididae. [in] Wagner,H., *Lepidopterorum Catalogus Pars 20. 55pp.* Dr. W. Junk Berlin.
178. **Dalla Torre,K.W.v.,** 1923, Cossidae. [in] Strand,E., *Lepidopterorum Catalogus Pars 29. 63pp.* Dr.W.Junk Berlin.
179. **Dalman,J.W.,** 1816, *Försök till systematik Upptällning af Sveriges Fjarilar. K. svenska VetenskAkad. Handl. 37: 48-105, 199-225, 2 Taf.*
180. **Daniel,F.,** 1935, Beiträge zur Verbreitung und Rassebildung von *Chelis maculosa* Gerning. *Mitt. münch. ent. Ges.* 25(2): 45-55, pl.
181. **Daniel,F.,** 1953, Neue Heterocera-Arten und -Formen. *Mitt. münch. ent. Ges.* 43: 252-261, Taf.vii.
182. **Daniel,F.,** 1956, Monographie der palaearktischen Cossidae II. Die Genera *Cossus* Fabr. und *Lamellacossus* gen.n. (Lep.). *Mitt. münch. ent. Ges.* 46: 243-288, Taf.viii-x, 4 Abb.
183. **Daniel,F.,** 1959, Monographie der palaearktischen Cossidae III. Daa Genus *Holcocerus* Stgr. *Mitt. münch. ent. Ges.* 49: 102-160, Taf.ii-v.
184. **Daniel,F.,** 1960, Monographie der palaearktischen Cossidae IV. Die Genera *Cossulinus* Kby., *Dyspessacossus* Dan. und *Isoceras* Tti. (Lep.). *Mitt. münch. ent. Ges.* 50: 93-118, Taf. xiv, xv.
185. **Daniel,F.,** 1961, Monographie der palaearktischen Cossidae V. Die Genera *Parahypopta* g.n., *Sinicossus* Clench und *Catopta* Stgr. *Mitt. münch. ent. Ges.* 51: 160-212, 10 Abb., Taf. xvi, xvii.
186. **Daniel,F.,** 1962, Monographie der palaearktischen Cossidae VI. Genus *Dyspessa* Hbn. Erster Teil. *Mitt. münch. ent. Ges.* 52: 1-38, Taf.I,II.
187. **Daniel,F.,** 1964, Monographie der palaearktischen Cossidae VII. Genus *Dyspessa* Hbn. Zweiter Teil. Genus *Paropta* Stgr. *Mitt. münch. ent. Ges.* 54: 181-236, 4 Abb., Taf. iii-vi.
188. **Daniel,F.,** 1965, Das Genus *Harpyia* O. (=Cerura auct.) im palaearktischen Raum unter Einschluß der naheverwandten nordamerikanischen Formen *Z. wien. ent. Ges.* 50: 5-47, 23 figs., 6 Taf.

189. **Daniel,F.,** 1970, Rassenanalytische Untersuchungen bei *Phragmatobia fluginosa* L. und *Phragmatobia amurensis* Seitz (Lep., Arctiidae). *Z. ArbGem. öst. Ent.* 22: 2-17, figs.
190. **Danilevsky,A.S. & V.I.Kuznetsov,** 1968, Tortricidae, Laspeyresiini. *Fauna SSSR* 5(1): 1-635, figs.
191. **Danilevsky,A.S.,** 1969, New Glyphipterigid moths (Lepidoptera, Glyphipterigidae) of the fauna of the U.S.S.R. *Ent. Obozr.* 48: 919-932, figs.
192. **Danilevsky,A.S.,** 1976, New Glyphipterygid species (Lepidoptera, Glyphipterygidae) from mountains of the Caucasus. *Proc. zool. Inst. USSR* 64: 34-35.
193. **Dantchenko,A. & V.Lukhtanov,** 2005, New taxa of the "brown" species-complex of the genus *Agrodiaetus* Hübner,1822 from the Transcaucasia (Lepidoptera, Lycaenidae). *Atalanta* 35 (3/4): 327-334, figs.
194. **Dantchenko,A.,** 2005, A new species of the genus *Agrodiaetus* Hübner,1822 from Transcaucasia (Lepidoptera, Lycaenidae). *Atalanta* 35 (3/4): 323-326, figs.
195. **Dantchenko,A.V. & V.A.Lukhtanov,** 1994, New taxa of the subgenus *Agrodiaetus* Hübner,1822 from Caucasus (Lepidoptera, Lycaenidae).. *Atalanta* 25 (1/2): 207-213, Pl.VIII.
196. **Dantchenko,A.V.,** 1997, Notes on the biology and distribution of the damone and damocles species-complexes of of [sic!] the subgenus *Polyommatus* (*Agrodiaetus*) (Lep., Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) *Nachr. Ent. Ver. Apollo*, Suppl. 16: 23-42, figs.
197. **Davenport,D.,** 1941, The butterflies of satyrid genus *Coenonympha*. *Bull. Mus. comp. Zool. Harv.* 87 (4): 214-349, 10 Tab.
198. **Davis,D.R. & G.Deschka,** 2001, Biology and systematics of the North American *Phyllonorycter* Leafminers on Salicaceae, with a synoptic catalog of the Palaearctic species (Lepidoptera, Gracillariidae). *Smithsonian Contr. Zool.* 614: iv+1-89 pp., Pls.
199. **Denis & Schiffermüller,** 1775, Ankündigung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend. 322 pp. 2 Pls. Wien.
200. **Denso,P.,** 1913, *Celerio hippophaes* Esp. *Dt. ent. Z., Iris* 27: 22-45, Taf.I,II.
201. **Derzhavets,Y.A.,** 1984, Review of the classification of the Sphingidae (Lepidoptera), with a list of the species of the USSR. *Ent. Obozr.* 63(4): 604-620.
202. **Desmarest,E.,** 1857, Papillons, Nocturnes. [In] Chenu, J.C., *Encyclopédie d'Histoire naturelle*. iv+312pp., 40 pls. Paris.
203. **Devyatkin,A.L.,** 1996, Taxonomic notes on the genus *Erynnis* Schrank,1801. *Atalanta* 27 (3/4): 605-614, figs., Pl.
204. **Devyatkin,A.L.,** 1997, Family: Hesperidae, [in] Tusov,V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
205. **Diakonoff,A.,** 1962, Preliminary survey of the Palaearctic species of the subgenus *Bactra* Stephens (*Bactra*, Tortricidae, Lepidoptera). *Zool. Verh.* 59: 1-48, 37 figs., 13 Pls.
206. **Diakonoff,A.,** 1986, Glyphipterigidae auctorum sensu lato, [in] Amsel,H.G. et al., *Microlepidoptera Palaearctica* vol. 7. Text & Taf. G.Braun Druckerei, Karlsruhe.
207. **Didmanidze,E.A.,** 1978, Lepidoptera trockener Landschaften Georgiens (Lepidoptera, Heterocera). *Trudy Georg. Tbilisi* 1978: 1-321, Pls.
208. **Didmanidze,E.A.,** 1980, A new subspecies of a butterfly [sic] - *Lemonia balcanica* vashlovani *Did. ssp. nova* in the Caucasus. *Soobshcheniya Akad. Nauk Gruz.SSR* 97(2): 453-456, figs.
209. **Dietrich,K.,** 1862, Zur Systematik der Schmetterlinge. *Stettin ent. Ztg.* 23: 466-479.
210. **Dietze,C.,** 1910-1913, Biologie der Eupitheciiden (Tafeln & Text). 1.Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2.Teil (Text): 172 pp. Pls.83-86, 1913. Berlin.
211. **Djakonoff,A.M.,** 1935, Un nouveau représentant du genre *Synopsisia* Ld. (Lepidoptera, Geometridae) de la Transcaucasie. *Lambillionea* 35(7): 142-147, 3 figs.
212. **Draudt,M.,** 1931, Familie Arctiidae. In Seitz,A., *Gross-Schmett. Erde*, Suppl. 2: 61-94. Stuttgart.
213. **Draudt,M.,** 1931, Familie Syntomidae. In Seitz,A., *Gross-Schmett. Erde*, Suppl. 2: 53-60. Stuttgart.
214. **Draudt,M.,** 1934-1938, Phalaenae. [in] Seitz,A., *Die palaearktischen Eulenartigen Nachtfalter*. Die *Gross-Schmett. Erde* 3 (Suppl.): 96-332, Taf. Stuttgart.

215. **Draudt, M.**, 1936, Neue Arten und Formen von Noctuiden. Ent. Rdsch. 53: 457-462, 465-471, 491-493, 1 Taf.
216. **Drury, D.**, 1773-1782], Illustrations of Natural History. 3 vols. London.
217. **Dubatolov, V.V. & J.P. Korshunov**, 1984, New data on taxonomy of the butterflies of the USSR. Chlenistonogie i gel'minty, Sibir. Otdel. Ak. Nauk USSR, Novosibirsk: 51-57.
218. **Dubatolov, V.V.**, 1989, A revision of the genus *Axiopoenia* (Lepidoptera, Arctiidae). Vestn. Zool. 1: 8-13.
219. **Dubatolov, V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A list of the Arctiinae of the territory of the former U.S.S.R. (Lepidoptera, Arctiidae). Neue ent. Nachr. 37: 39-89, figs.
220. **Dubatolov, V.V., Ustjuzhanin, P.A. & V.K. Zintshenko**, 1997, A review of the Ethmiidae of the Asian part of Russia and neighbouring territories (Lepidoptera, Ethmiidae). Atalanta 28 (1/2): 161-171, 19 figs.
221. **Dufay, C.**, 1958, Révision des *Nycteola* Hübner (*Sarrothripus* Curtis) Paléarctiques (Lepidoptera, Noctuidae, Nycteolinae). Annls Soc. ent. Fr. 27: 107-132, Pl.ii,iii,A,B.
222. **Dufay, C.**, 1966, Description de deux nouvelles especes d'*Euchalcia* Hübner du Caucase (Lep., Noctuidae, Plusiinae) (note préliminaire). Entomops 4: 123-126, 2 figs.
223. **Dufay, C.**, 1986, Révision de la nomenclature de deux *Chersotis* Boisduval distingués récemment (Noctuidae, Noctuinae). Nota lepid. 9(1/2): 51-54.
224. **Dumont, D.**, 2004, Révision du genre *Iolana* Bethune-Baker, 1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: *kermani* n.sp. Linneana Belg. 19 (8):
225. **Duponchel, P.A.J.**, 1821-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.1 Diurnes. 12+303+7 pp., tab. 1-12, Paris.
226. **Duponchel, P.A.J.**, 1821-1828, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.3 Crepusculaires. 200 pp., tab. 13-22, Paris.
227. **Duponchel, P.A.J.**, 1822-1823, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.4 Bombycites. 424 pp., tab. 1-40, Paris.
228. **Duponchel, P.A.J.**, 1822-1830, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.2 Diurnes. 246 pp., tab. 1-28, Paris.
229. **Duponchel, P.A.J.**, 1824-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.5 Tineites & Noctuelites. 524 pp., tab. 41-71, Paris.
230. **Duponchel, P.A.J.**, 1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.6. Noctuelites. 475 pp., tab. 72-100, Paris.
231. **Duponchel, P.A.J.**, 1827, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (1). Noctuelites. 524 pp., tab. 101-132, Paris.
232. **Duponchel, P.A.J.**, 1829, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (2). Phalenites. 507 pp., tab. 133-170, Paris.
233. **Duponchel, P.A.J.**, 1830-1832, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (1). Phalenites. 597 pp., tab. 171-210, Paris.
234. **Duponchel, P.A.J.**, 1833, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (2). Pyralites. 402 pp., tab. 211-236, Paris.
235. **Duponchel, P.A.J.**, 1834-1835, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.9 Platymides. 626 pp., tab. 237-266, Paris.
236. **Duponchel, P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.10. Crambites & Yponomeutides. 384 pp., tab. 267-286, Paris.
237. **Duponchel, P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.11. Tineites & Pterophorites. 720 pp., tab. 287-314, Paris.
238. **Duponchel, P.A.J.**, 1844-1846, Catalogue méthodique des Lépidoptères d'Europe. 523 pp. Paris.
239. **Dyar, H.G.**, 1894, A classification of lepidopterous larvae. Ann. N.Y. Acad. Sci. 8: 194-232, 5 figs.
240. **Dyar, H.G.**, 1899, The phylogeny of the lasiocampids. Entomologist's Rec. J. Var. 11: 141-142, Pl.ii.

241. **Ebert,G.,** 1976, Beiträge zur Kenntnis der Bombyces und Sphinges Irans 2. Beitrag: Eine neue Tethea-Art aus Iran (Lepidoptera, Thyatiridae). J. ent. Soc. Iran 3 (1/2): 101-104, 1 fig.
242. **Eckweiler,W. & C.L.Häuser,** 1997, An illustrated checklist of *Agrodiaetus* Hübner,1822, a subgenus of *Polyommatus* Latreille,1804 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs.
243. **Eckweiler,W. & G.Hesselbarth,** 1978, Eine neue Unterart von *Agriades pyrenaicus* Boisduval aus Ostanatolien. NachrBl. bayer. Ent. 27:64-68, figs.
244. **Eckweiler,W. & K.G.Schurian,** 1980, Verbreitung und subspezifische Gliederung von *Neolysandra coelestina* (Eversmann, 1843) (Lep., Lycaenidae). Atalanta 11 (1): 69-78, 8 figs.
245. **Eckweiler,W.,** 1997, Neue Taxa von *Polyommatus* (*Agrodiaetus*) (Lepidoptera, Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep., Lycaenidae). Nachr. Ent. Ver. Apollo, Suppl. 16: 7-22, figs.
246. **Eecke,v.R.,** 1925, *Cochlidionidae* (Limaconidae), [in] Strand,E., *Lepidopterorum Catalogus* 32: 1-79. W.Junk, Berlin.
247. **Efetov,K.A. & G.M.Tarmann,** 1994, A revision of *Zygaenoprocris* Hampson,1900, a subgenus of *Adscita* Retzius,1783 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 81-105, 62 figs.
248. **Efetov,K.A. & G.M.Tarmann,** 1995, An annotated check-list of the Palearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. Entomologist's Gaz. 46: 63-103, 23 figs.
249. **Efetov,K.A.,** 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 153-162, figs.
250. **Effendi,R.M.E.,** 1984, Foodplants of *Anthocharis gruneri armeniaca* Christoph (Lepidoptera, Pieridae). Vestn. Zool. 1984 (5): 74.
251. **Effendi,R.M.E.,** 1987, On the colour variation of *Zygaena tamara* Christoph (Lepidoptera: Zygaenidae). Vestn. Zool. 1987(2): 38.
252. **Ehrlich,P.R.,** 1958, The comparative morphology, phylogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). Univ. Kans. Sci. Bull. 39(8): 305-370.
253. **Eisner,C.,** 1966, *Parnassiidae*-Typen in der Sammlung J.C.Eisner. Zool. Verh., Leiden 81: 1-190, 84 Pls.
254. **Eitschberger,U. & H.Steiniger,** 1975, Die geographische Variation von *Eumedonia eumedon* (Esper,1780) in der westlichen Palaearktis (Lep., Lycaenidae). Atalanta 6(2): 84-125, 3 Abb., Taf.
255. **Eitschberger,U. & P.Hofmann,** 2002, Morphologische Untersuchungen an einigen *Aporia crataegi*-Populationen aus dem Iran (Lepidoptera, Pieridae). Atalanta 33 (3/4): 373-387.
256. **Eitschberger,U.,** 1993, *Phlogophora lamii* Schadewald, 1992- Zur Verbreitung dieser Art (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 593-597, pls.
257. **Eitschberger,U.,** 1993, *Autographa messmeri* Schadewald,1992 und *Autographa voelkeri* Schadewald,1992- Anmerkungen zur Verbreitung beider Arten (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 581-857, pls.
258. **Eitschberger,U.,** 2002, Revidierte Checkliste der Gattungen *Amorpha* Hübner,[1819], *Laothoe* Fabricius,1807, *Pachysphinx* Rothschild & Jordan,1903 und *Phyllosphinxia* Swinhoe,1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). Neue ent Nachr. 23: 151-195, figs.
259. **Eitschberger,U.,** 2002, Revidierte Checkliste der Gattungen *Paonias* Hübner,[1819], sowie *Smerinthus* Latreille,[1802], mit der Beschreibung neuer *Paonias*-Arten (Lepidoptera, Sphingidae). Neue ent Nachr. 23: 85-149, figs.
260. **Eitschberger,U.,** [1984], Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.) (Lepidoptera, Pieridae). *Herbipoliana* 1 (1): xxii + 504pp., 1(2): 601pp. Marktleuthen.
261. **Elekçioğlu,N.Z. & N.Uygun,** 2006, The Parasitoid complex of the Citrus Leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. Turk. J. Zool. 30: 155-160.
262. **Eliot,J.N.,** 1969, An analysis of the Eurasian and Australian *Neptini* (Lepidoptera, Nymphalidae). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 15: 1-150, Pls.

263. **Eliot, J.N.**, 1973, The higher classification of the Lycaenidae (Lepidoptera): A tentative arrangement. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (6): 373-505, figs., 6 Pls.
264. **Eller, K.**, 1936, Die Rassen von *Papilio machaon* L. Abh. bayer. Acad. Wiss.(N.F.) 36: xiv+96 pp.
265. **Eller, K.**, 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von *Papilio machaon* L. (Lep., Rhopalocera). Z. angew. Ent. 24: 145-149, 2 Abb.
266. **Eller, K.**, 1939, Fragen und Probleme zur Zoogeographie und zur Rassen- und Artbildung in der *Papilio machaon*-Gruppe. Verh. VII. Int. Kongr. Ent. 1938 (1): 74-101, Pls.
267. **Elwes, H.J.**, 1889, A revision of the genus *Argynnis*. Trans. Ent. soc. London 1889 (4): 535-575, [3 figs].
268. **Emich, G.**, 1872, Beitrag zur Lepidopteren-Fauna Transkaukasiens und Beschreibung zwei neuer Arten. Horae Soc. ent. ross. 9: 40-44, Tab.
269. **Emmel, T.C., et al.**, 1996, A butterfly expedition to Armenia. Holarctic Lepidoptera 3(2): 36-41.
270. **Englert, W.D.**, 1974, Revision der Gattung *Metzneria* Zeller (Lepid., Gelechiidae) mit Beiträgen zur Biologie der Arten. Z. angew. Ent. 75 (4): 381-421, 27 Abb.
271. **Esartiya, G.K.**, 1988, Some peculiarities of distribution of Tortricidae (Lepidoptera) on the southern slopes of Caucasus Major in Eastern Gruzia and description of new species. Ent. Obozr. 1988: 131-141, figs.
272. **Evans, W.H.**, 1949, A Catalogue of the Hesperiiidae from Europe, Asia and Australia in the British Museum (Natural History). London.
273. **Evans, W.H.**, 1955, A revision of the genus *Tarucus* (Lep., Lycaenidae) of Europe, North Africa and Asia. Entomologist 88: 179-187.
274. **Eversmann, E.**, 1832, Lepidopterorum species nollunae novae gubernium Orenburgense incolentes. Mém. Soc. nat. Moscou 8: 347-354, 2 Taf.
275. **Eversmann, E.**, 1843, Quaedam Lepidopterorum species novae, in montibus Uralensibus et Altaicis habitantes. Bull. Soc. nat. Moscou 16: 535-555, 3 Taf.
276. **Eversmann, E.**, 1855-1859, Les Noctuérites de la Russie. Bull. Soc. nat. Moscou 28: 129-203, 313-427; 29(2): 161-233, Tab.3; 29(3): 1-120; 30: 48-150, 355-439; 32: 550-584.
277. **Fabricius, J.C.**, 1775, Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae.
278. **Fabricius, J.C.**, 1781, Species Insectorum vol. 1, viii+ 552 pp., vol. 2, 494 pp. Hamburgi et Kilonii.
279. **Fabricius, J.C.**, 1787, Mantissa Insectorum. vol. 1 xx+348 pp., vol.2, 382pp. Hafniae.
280. **Fabricius, J.C.**, 1793, Entomologia systematica. vol.2, viii+519 pp. Hafniae.
281. **Fabricius, J.C.**, 1794, Entomologia systematica. vol.3, pars 2, 349 pp. Hafniae.
282. **Fabricius, J.C.**, 1798, Supplementum Entomologiae systematicae. 572 pp., Hafniae.
283. **Falkovitsh, M.I.**, 1963, New species of the family Cochylidae (Lepidoptera) from Kazakhstan and the Caucasus. Zool. Zh. 42: 697-703, figs.
284. **Farren, W.**, 1893, On the variation of *Papilio machaon*. Entomologist's Rec. J. Var. 4: 100-108.
285. **Fazekas, I. & T.Balazs**, 1979, Taxonomische, ökologische und faunistische Überprüfung des *Palaeochrysophanus hippothoe sumadiensis* Szabo 1956 (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 89 (20): 230-236, 4 Abb.
286. **Fazekas, I.**, 1984, *Oligia latruncula erewani* ssp. nova (Noctuidae, Amphipyrrinae). Nota lepid. 7 (2): 117-120, 2 Abb.
287. **Felder, C. & R.Felder**, 1865-[1867], Reise der Österreichischen Fregatte Novarra um die Erde. vi+549pp., 137 Pls. Wien.
288. **Felder, C., Felder, R. & A.F.Rogenhofer**, 1864-[1875], Reise der Österreichischen Fregatte Novarra um die Erde. (2) (Atlas) 20pp.+ 140Pls. Wien.
289. **Fernald, C.H.**, 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass.
290. **Fernandez-Rubio, F.**, 1991, Guia de Mariposas Diurnas de la Peninsula Ibérica, Baleares, Canarias, Azores y Madeira. 824pp. 2 vols. pls., maps.

291. **Fibiger, M. & D. Agassiz**, 2001, *Araeopteron ecphaea*, a small noctuid moth in the West Palaearctic (Noctuidae, Acontiinae). *Nota lepid.* 24 (1/2): 29-36.
292. **Fibiger, M. & J.D. Lafontaine**, 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. *Esperiana* 11: 7-92.
293. **Fibiger, M.**, 1990, *Noctuidae Europaeae vol.1 Noctuinae I*. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
294. **Fibiger, M.**, 1993, *Noctuidae Europaeae vol.2 Noctuinae II*. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
295. **Filipjev, N.N.**, 1916, Liste des Lépidoptères capturés en 1913 aux Batum *Russk. ent. Obozr.* 16: 361-367.
296. **Filipjev, N.N.**, 1962, New species of the Tortricinae (Lepidoptera, Tortricinae) in the fauna of the USSR. *Arb. zool. Inst. Akad. Wiss. USSR* 30: 369-381, figs.
297. **Fletcher, D.S. & I.W.B. Nye**, 1982, Bombycoidea, Castnioidea, Cossioidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World vol.4*. xiv+192 pp., 1 frontispiece, London.
298. **Fletcher, D.S. & I.W.B. Nye**, 1984, Pyraloidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World vol.5*. xv+185pp., London.
299. **Fletcher, D.S.**, 1979, Geometridae. [In] Nye, I.W.B. *The Generic Names of Moths of the World vol. 3*, xx+243 pp. 2 frontispieces, London.
300. **Fletcher, T.B.**, 1929, A list of the generic names used for Microlepidoptera. *Mem. Dep. Agric. India ent. Ser.* 11: ix + 244pp. Calcutta.
301. **Ford, E.B.**, 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. *Proc. R. ent. Soc. Lond. (A)* 19: 92-106.
302. **Ford, E.B.**, 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 4. The classification of the Papilionidae. *Trans. R. ent. Soc. Lond.* 94: 201-223.
303. **Forster, W.**, 1936, Beitrag zur Systematik des Tribus Lycaenini unter besonderer Berücksichtigung der argyrognomon- und der argus-Gruppe. *Mitt. münch. ent. Ges.* 26(2): 41-140.
304. **Forster, W.**, 1938, Die Lycaena pylaon-Gruppe. *Ent. Rdsch.* 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls.
305. **Forster, W.**, 1956, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) I. *Z. wien. ent. Ges.* 41: 42-61, 70-89, 118-127, Taf. 8-13.
306. **Forster, W.**, 1960, Einige neue Formen der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.). *Ent. Z., Frankf. a. M.* 70 (3): 17-22.
307. **Forster, W.**, 1960-1961, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) II. *Z. wien. ent. Ges.* 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15.
308. **Fourcroy, A.F.**, 1785, *Entomologia Parisiens.* vol.2. Paris.
309. **Fracker, S.B.**, 1915, The Classification of lepidopterous larvae. *Illinois biol. Monogr.* 2: 1-169, 112 figs.
310. **Freina, J.J.de & T.J. Witt**, 1986, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München.
311. **Freina, J.J.de & T.J. Witt**, 1990, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München.
312. **Freina, J.J.de & T.J. Witt**, 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München.
313. **Freina, J.J.de & T.J. Witt**, 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München.
314. **Freina, J.J.de**, 1982, Eine neue Population von *Brahmaea ledereri* Rogenhofer, 1873 (*Brahmaea ledereri zaba* ssp.n.) in türkisch-Kurdistan, sowie Nachweis der Konspezifität von *Brahmaea ledereri* Rogenhofer, 1873 und *Brahmaea christophi* Staudinger, 1873 (Lep., Brahmaeidae). *Entomofauna* 3 (9): 129-139, figs.

315. **Freina, J.J.de**, 1983, Revision der *Hadena luteago* ([Denis & Schiffermüller], 1775) - *andalusica* (Staudinger, 1859)- Gruppe nebst Beschreibung einer neuen Art der Gattung *Hadena* Schrank, 1802 aus Sardinien. *Spixiana* 6: 45-59, figs.
316. **Freyer, C.F.**, 1828-1830, Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. 3 vols. 1 (1828): 164pp., 48 Tab.; 2 (1829): 166pp., 48 Tab.; 3 (1830): 168pp., 48 Tab. Nürnberg.
317. **Freyer, C.F.**, 1831-1858, Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls. Augsburg.
318. **Friese, G.**, 1959, *Dysauxes punctata* (F.) und *famula* (FRR.) und ihre Rassenkreise (Lep., Syntomidae). *Dt. ent. Z. (N.F.)* 6(1/3): 251-259, 2 Abb.
319. **Fruhstorfer, H.**, 1908, Neues über die Copulationsorgane der Satyriden. *Ent. Z., Stuttgart* 22(30): 120-122, 8 figs.
320. **Fruhstorfer, H.**, 1918, Neue palaearktische *Rhopaloceren*. *Ent. Z., Stuttgart* 31 (21): 77-78, 81-82.
321. **Fröhlich, F.**, 1828, *Enumeratio Tortricum Württembergiae*. Dissert. Inaug. 102pp. Tübingae.
322. **Gaede, M.**, 1930, Familie Satyridae. Gattungen: *Melanargia* Meigen- *Triphysa* Z. [In] Seitz, A., *Gross-Schmett. Erde, Suppl. 1*: 153-179. Stuttgart.
323. **Gaede, M.**, 1930, Familie Nymphalidae. [In] Seitz, A., *Gross-Schmett. Erde, Suppl. 1*: 196-227. Stuttgart.
324. **Gaede, M.**, 1930, Familie Lycaenidae. [In] Seitz, A., *Gross-Schmett. Erde, Suppl. 1*: 239-249. Stuttgart.
325. **Gaede, M.**, 1931, Drepanidae. [in] Strand, E., *Lepidopterorum Catalogus Pars 49*. 60pp. Dr. W. Junk Berlin.
326. **Gaede, M.**, 1932, Familie Lemoniidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 127-128. Stuttgart.
327. **Gaede, M.**, 1932, Familie Lymantriidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 95-106. Stuttgart.
328. **Gaede, M.**, 1932, Familie Thaumetopoeidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 107-108. Stuttgart.
329. **Gaede, M.**, 1932, Familie Lasiocampidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 109-125. Stuttgart.
330. **Gaede, M.**, 1933, Familie Hepialidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 247-248. Stuttgart.
331. **Gaede, M.**, 1933, Familie Aegeriidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 229-240. Stuttgart.
332. **Gaede, M.**, 1933, Familie Drepanidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 167-170. Stuttgart.
333. **Gaede, M.**, 1933, Familie Notodontidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 173-186. Stuttgart.
334. **Gaede, M.**, 1933, Familie Cossidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 241-245. Stuttgart.
335. **Gaede, M.**, 1937, Gelechiidae [in] Bryk, F., *Lepidopterorum Catalogus. Pars 79*, 630pp.
336. **Gaede, M.**, 1938-1939, Oecophoridae [in] Bryk, F., *Lepidopterorum Catalogus. Pars 92*, 209-476pp.
337. **Garrevoet, T., Garrevoet, W. & H.Özbek**, 2005, A contribution to the knowledge of the Sesiidae of Turkey (Lepidoptera). *Turk J. Zool.* 29: 27-38.
338. **Geest, W.**, 1902, Eine Aberration von *Rhodocera rhamni* und Entwicklung der Pieriden-Färbung. *Allg. Z. Ent.* 7: 529-534, Abb.
339. **Gehlen, B.**, 1932, Familie Sphingidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2*: 137-166. Stuttgart.
340. **Geiger, H.-J. & A.Scholl**, 1982, *Pontia daplidice* (Lepidoptera, Pieridae) in Südeuropa- eine Gruppe von zwei Arten. *Mitt. schweiz. ent. Ges.* 55: 107-114.
341. **Geoffroy, E.L.**, 1785, *Lepidoptera*. [In] Fourcroy, A.F., *Entomologia parisiensis, sive catalogus Insectorum, quae in agro parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones*,

- genera et species distributus; cui addita sunt nomina trivialia et fere trecentae novae species. I: 1-231; 2: 233-544. Paris.
342. **Gerasimov, A.M.**, 1937, Hepialidenraupen (Lepid.) Ent. Z., Frankf. a. M. 51(9): 81-84.
343. **Gerhard, B.**, 1850]-[1853], Versuch einer Monographie der europäischen Schmetterlingsarten: Thecla, Polyommattus [sic!], Lycaena, Nemeobius. 21pp., 39 Taf. Hamburg.
344. **Gerhard, B.**, 1882, Lepidopterologisches. Berl. ent. Z. 26 (1): 125-128.
345. **Gerwien, E.**, 1911, Deskriptives und biologisches über Taeniocampa rorida H.-S. (Friv?). Berl. ent. Z. 55 (1910): 174-178, Taf.iii figs.1-6.
346. **Geyer, C.**, [1832], Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. Viertes Hundert: 1-48, figs. 401-600. Augsburg.
347. **Gielis, C.**, 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs.
348. **Gielis, C.**, 1996, Pterophoridae, [in] Huemer, P., Karsholt, O. & L.Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup.
349. **Gilbert, P.**, 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London.
350. **Glassl, H.**, 1993, Parnassius apollo. Seine Unterarten. 214pp. pls. maps. H.Glassl Verlag. Möhrendorf.
351. **Godart, J.B.**, 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp.329-828 [1824]. Paris.
352. **Goltz, H.F.v.d.**, 1930, Familie Satyridae. Gattung: Erebia Dalm. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 132-152. Stuttgart.
353. **Gorbunov, O. & K.Spatenka**, 1992, A new species of the genus Chamaesphecia Spuler, 1910 from the Transcaucasus and Northern Iran (Lepidoptera, Sesiidae). Atalanta 23(1/2): 255-258, 5 figs.
354. **Gorbunov, O.**, [1990], A new species of the genus Bembecia Hübner, 1819 from the Caucasus, USSR (Lep., Sesiidae). Atalanta 20 (1989): 119-123, figs.6,7.
355. **Gross, F.J.**, 1978, Beitrag zur Systematik von Pseudochazara-Arten (Lep., Satyridae). Atalanta 9(1): 41-103, figs.
356. **Groum-Grshimailo, G.**, 1893, Lepidoptera Palaearctica Nova I. Horae Soc. ent. ross. 27: 127-129.
357. **Groum-Grshimailo, G.**, 1893, Lepidoptera Palaearctica Nova II. Horae Soc. ent. ross. 27: 379-386.
358. **Guenée, A.**, 1845, Essai sur une nouvelle classification des Microlépidoptères et catalogue des espèces européennes connues jusqu'à jour. Anns Soc. ent. Fr. (2) 3: 105-192, 207-344
359. **Guenée, A.**, 1846, Europaeorum Microlepidopterorum Index Methodicus.
360. **Guenée, A.**, 1852, Noctuérites II. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 6. xcvi + 407 pp. Paris.
361. **Guenée, A.**, 1852, Noctuérites III. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 7. 442 pp. Paris.
362. **Guenée, A.**, 1852, Noctuérites I. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 5. xcvi + 407 pp. Paris.
363. **Guenée, A.**, 1854, Deltoides et Pyralites. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 8. 448 + 6 pp., 10 Pls. Paris.
364. **Hacker, H. & A.Moberg**, 1989, Zwei neue Agrochola Hübner, [1821]-Arten (Lepidoptera, Noctuidae, Cuculliinae) aus der Türkei und aus Griechenland. Nota lepid. 12(2): 121-132, 4 figs.
365. **Hacker, H. & L.Ronkay**, 1992, Taxonomic news in the genus Eualcia Hübner, 1821 (Lepidoptera, Noctuidae, Plusiinae) Part 1. Esperiana 3: 457-471, figs.
366. **Hacker, H. & L.Ronkay**, 1992, Das Genus Polymixis Hübner, [1820] mit Beschreibung neuer Taxa und Festlegung neuer Stati (Lepidoptera, Noctuidae). Esperiana 3: 473-496, figs.
367. **Hacker, H.**, 1983, Faunistische und taxonomische Beiträge zur Noctuidenfauna des Mittelmeergebietes (Lepidoptera). Neue ent. Nachr. 6: 43-57, 18 figs.

368. **Hacker,H.**, 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. *Herbipoliana* 2: 1-590, Taf.
369. **Hacker,H.**, 1990, Die Noctuidae Vorderasiens (Lepidoptera). *Neue ent. Nachr.* 27: 1-707, 16 Taf.
370. **Hacker,H.**, 1992, Revision der Gattung *Hadena* Schrank,1802 (Lepidoptera) Teil 1. *Esperiana* 3: 243-361, 65 Abb.
371. **Hacker,H.**, 1998, Revision der Gattungen *Hadula* Stgr.,1889 (=Discestra Hmps.,1905;Aglossastra Hmps.,1905;Cardiastrea Brsn.,1963), *Anartomorpha* Alph.,1892, *Trichanarta* Hmps.,1895, *Anarta* Ochs.,1816 und *Cardepi*a Hmps.,1905 mit Beschreibung einer neuen Gattung *Hadumorpha* g.n. *Esperiana* 6: 577-843, Taf., figs.
372. **Hacker,H.**, 2001, Zwei neue Noctuidae-Arten aus Vorder und Zentralasien. *Esperiana* 8: 825-826, Taf.29.
373. **Hacker,H.**, 2004, Revision of the genus *Caradrina* Ochsenheimer,1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). *Esperiana* 10: 7-690, 27 Pls.
374. **Hampson,G.F.**, 1896, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. *Trans. ent. Soc. London* 1896(4): 451-550, figs.
375. **Hampson,G.F.**, 1897, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. *Proc. zool. Soc. Lond.* 1897: 603-633, figs.
376. **Hampson,G.F.**, 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scopariinae. *Trans. ent. Soc. London* 1897 (2): 127-240, figs.
377. **Hampson,G.F.**, 1898, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. i. Syntomidae. xxi+559 pp., Pls. i-xvii. Printed by the order of the Trustees British Museum (Natural History), London.
378. **Hampson,G.F.**, 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. *Proc. zool. Soc. London* 1898: 590-761, Pls. 49,50.
379. **Hampson,G.F.**, 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. *Proc. zool. Soc. London* 1899: 172-291, pls. 16-19.
380. **Hampson,G.F.**, 1900, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiidae (Nolinae, Lithosiinae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Trustees British Museum (Natural History), London.
381. **Hampson,G.F.**, 1901, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iii. Arctiidae & Agaristidae. xix+ 690 pp., Pls. xxxvi-liv. Printed by the order of the Trustees British Museum (Natural History), London.
382. **Hampson,G.F.**, 1901, A classification of a new family of the Lepidoptera. *Trans. ent. Soc. London* 1901 (2): 187-192, figs.
383. **Hampson,G.F.**, 1903, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Trustees British Museum (Natural History), London.
384. **Hampson,G.F.**, 1905, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Trustees British Museum (Natural History), London.
385. **Hampson,G.F.**, 1906, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullinae). Pls.xcv-cvii. Printed by the order of the Trustees British Museum (Natural History), London.
386. **Hampson,G.F.**, 1908, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Trustees British Museum (Natural History), London.
387. **Hampson,G.F.**, 1909, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Trustees British Museum (Natural History), London.

388. **Hampson, G.F.**, 1910, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Trustees British Museum (Natural History), London.
389. **Hampson, G.F.**, 1911, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Erastrinae). Pls. cxlviii-clxxiii. Printed by the order of the Trustees British Museum (Natural History), London.
390. **Hampson, G.F.**, 1912, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliaenae to Acontianae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Trustees British Museum (Natural History), London.
391. **Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-ccxxi. Printed by the order of the Trustees British Museum (Natural History), London.
392. **Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. ccxxii-ccxxxix. Printed by the order of the Trustees British Museum (Natural History), London.
393. **Handlirsch, A.**, 1924, Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840.
394. **Hannemann, H.J.**, 1959, Neue Depressarien aus der Sammlung S. Toll (Lepidoptera, Oecophoridae). Dt. ent. Z. (N.F.) 6 (1/3): 34-43, 15 Abb.
395. **Harrison, E.S.**, 1897, The Lepidoptera of the Romanche Valley. [in] Tutt, J.W., Contributions to the fauna of Dauphiné Alps-V. Entomologist's Rec. J. Var. 9: 83-84.
396. **Hartig, F.G.**, 1963, Beitrag zur Kenntnis der Gattung Ocnieria Hbn. II. Die Genitalapparaturen einiger Ocnieria-Arten und Versuch einer Revision der Arten (Lepidoptera, Lymantriidae). Mitt. münch. ent. Ges. 53: 57-69, 12 Abb.
397. **Hausmann, A.**, 1994, Dritter Beitrag zur Revision der Gattung Glossotrophia Prout, 1913 nebst Beschreibung zweier neuer Gattungen (Lepidoptera, Geometridae, Sterrhinae). Nota lepid. 16(3/4): 195-211, 25 Abb., 1 Tab.
398. **Hausmann, A.**, 2004, The Geometrid Moths of Europe Vol. 2 Sterrhinae. 600 pp., figs. Pls. Apollo Books.
399. **Haworth, A.H.**, 1803-1828, Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiuntur... Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London.
400. **Heath, J.**, 1987, A Check List of the genus Micropterix Hübner, [1825] (Lepidoptera, Micropterigidae). Entomologist's Gaz. 38: 205-207.
401. **Hemming, A.F.**, 1929, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245.
402. **Hemming, A.F.**, 1932, Revisional notes on certain generic and specific names proposed for species of the genus Agapetes Billberg (Lepidoptera, Satyridae). Ann. Mag. nat. Hist. (10) 10: 571-574.
403. **Hemming, A.F.**, 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp.
404. **Hemming, A.F.**, 1934, Revisional notes on certain species of Rhopalocera (Lepidoptera) Stylops 3(9): 193-200.
405. **Hemming, A.F.**, 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509.
406. **Heppner, J.B. & W.D. Duckworth**, 1981, Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144.
407. **Heppner, J.B.**, 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134.
408. **Heppner, J.B.**, 1979, Brachodidae, a new family name for Atychidae (Lep., Sesiioidea). Ent. Ber., Amst. 39 (8): 127-128.
409. **Heppner, J.B.**, 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89(4): 220-294.

410. **Herbst, J.F.H.**, 1783-1804, *Natursystem aller bekannten in- und ausländischen Insecten*. Band 11-21 (Schmetterlinge). T.5 (1792) 230 pp., 37 Tab.; Tom 9 (1798) 206 pp., 30 Tab. Berlin.
411. **Herczig, B., Ronkay, L., Bathiev, A.M., Korolj, T.S., Meszaros, Z., Szeoke, K., Tochiev, T.Y., Uherkovich, A. & D.I. Uzahov**, 1990-1991, Contributions to the knowledge of the Noctuidae (Lepidoptera) fauna of the NE Caucasus I, II. *Annls hist.-nat. Mus. natn. hung.* (1990) 82: 163-174; *ibid.* (1991) 83: 125-134.
412. **Hering, E.**, 1889, *Mémoires sur les Lépidoptères rédigés par N.M. Romanoff*. Tome III. St. Petersburg 1887. *Stettin ent. Ztg.* 50: 257-278.
413. **Hering, E.**, 1891, Nachwort. *Stettin ent. Ztg.* 52(4/6): 116-128.
414. **Hering, M.**, 1933, Familie Limacodidae. [In] *Seitz, A., Gross-Schmett. Erde, Suppl.* 2: 201-209. Stuttgart.
415. **Herrich-Schäffer, G.A.W.**, 1843-[1856], *Systematische Bearbeitung der Schmetterlinge von Europa*, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
416. **Hesselbarth, G., Oorschot, H.v. & S. Wagener**, 1995, Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Bde. 1 & 2: 1354 S. 75 Abb., 21 Tab., 2 fb. Karte, 36 fb. Tab. Bd.3: 847 S., 128 fb. Tab., 13 sw Tab., vi+342 Karte. Selbstverlag S.Wagener, Bocholt.
417. **Heylaerts, F.J.M.**, 1881, *Essai d'une Monographie des Psychides de la faune européenne précédé de considérations générales sur la famille des Psychides*. *Annls Soc. ent. Belg.* 25: 29-73.
418. **Heylaerts, F.J.M.**, 1885, Psychides nouvelles ou moins connues de l'Empire Russe. [in] Romanoff, *Mém. lépid.* 2: 176-194, pls.ix,x.
419. **Higgins, L.G. & N.D. Riley**, 1970, *A Field Guide to the Butterflies of Britain and Europe*. 380pp. 60 Pls., 371 maps. Collins St James's Place, London.
420. **Higgins, L.G.**, 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). *Trans. R. ent. Soc. Lond.* 91 (7): 175-354, 16 Pls, 214 figs., 7 maps.
421. **Higgins, L.G.**, 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). *Trans. R. ent. Soc. Lond.* 101 (2): 435-489, 7 maps, 44 figs.
422. **Higgins, L.G.**, 1955, A descriptive catalogue of the genus Mellicta Billberg (Lepidoptera, Nymphalidae) and its species, with supplementary notes on the genera Melitaea and Euphydryas. *Trans. R. ent. Soc. Lond.* 106 (1): 1-131, 2 Pls., 4 maps, 88 figs.
423. **Higgins, L.G.**, 1965, Boisduval, *Europaeorum Lepidopterorum index methodicus*. *Entomologist* 98: 241-242.
424. **Higgins, L.G.**, 1969, A New Genus of European Butterflies (Lycaenidae). *Entomologist* 102: 67.
425. **Higgins, L.G.**, 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London.
426. **Higgins, L.G.**, 1978, A Revision of the genus Euphydryas Scudder (Lep., Nymphalidae). *Entomologist's Gaz.* 29: 109-115, 19 figs.
427. **Holik, O. & L. Sheljuzhko**, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. *Mitt. münch. ent. Ges.* 44/45: 26-158.
428. **Holik, O. & L. Sheljuzhko**, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. *Mitt. münch. ent. Ges.* 46: 93-239.
429. **Holik, O. & L. Sheljuzhko**, 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. *Mitt. münch. ent. Ges.* 47: 143-185.
430. **Holik, O.**, 1939, *Zyg. araratensis* Reiss und *Zyg. mana* Kirby. *Ent. Rdsch.* 56(8): 70-72, (12): 113-116, (15): 150-153.
431. **Holik, O.**, 1949, Über die Gattung Satyrus I. *Z. wien. ent. Ges.* 34: 98-105.
432. **Honrath, E.G.**, 1885, Neue Rhopalocera III. *Berl. ent. Z.* 29 (2): 272-278, Taf.viii.
433. **Hreblay, M.**, 1992, Neue Taxa und Synonyme der Gattung Conistra Hübner, [1821] (Lepidoptera, Noctuidae). *Esperiana* 3: 531-544, figs.

434. **Hreblay,M., Ronkay,L. & J.Plante,** 1998, A systematic survey of the Tibetan Noctuidae fauna based on the material of the Schäfer-expedition (1938-1939) and recent expeditions (1993-1997) (Lepidoptera, Noctuidae). *Esperiana* 6: 69-184, Taf.
435. **Huemer,P. & O.Karsholt,** 1999, Gelechiidae I (Gelechiinae: Teleiodini, Gelechiini), [in] Huemer,P. Karsholt,O. & L. Lyneborg, *Microlepidoptera of Europe* vol.3., 356pp., Pls., Stenstrup.
436. **Hufnagel,** 1766, Tabelle von den Tagvögeln der Gegend um Berlin. *Berl. Mag.* 2: 54-90.
437. **Hufnagel,** 1766, Dritte Tabelle von den Nachtvögeln (Bombyx) der Gegend um Berlin. *Berl. Mag.* 2: 391-437.
438. **Hufnagel,** 1767, Vierte Tabelle von den Nachtvögeln (Noctua) der Gegend um Berlin. *Berl. Mag.* 3: 202-215, 279-309, 393-426.
439. **Hufnagel,** 1768, Fortsetzung der Tabelle von den Nachtvögeln (Geometra). *Berl. Mag.* 4: 504-527, 599-626.
440. **Hübner,J.,** 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg.
441. **Hübner,J.,** 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16pp., 100 Pls., Augsburg.
442. **Hübner,J.,** 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg.
443. **Hübner,J.,** 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg.
444. **Hübner,J.,** 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg.
445. **Hübner,J.,** 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg.
446. **Hübner,J.,** 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg.
447. **Hübner,J.,** 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg.
448. **Hübner,J.,** 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
449. **Hübner,J.,** 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg.
450. **Hübner,J.,** 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg.
451. **Hübner,J.,** 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg.
452. **Hübner,J.,** 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburgscher Gattungen. 81 pp. Augsburg.
453. **Häuser,C. & K.G.Schurian,** 1980, Zur Kenntnis des Areals von *Colias chlorocoma* Christoph, 1888 (Pieridae). *Nota lepid.* 3(1/2): 41-50, figs.
454. **Häuser,C.,** 1993, An Annotated checklist of the species of the Parnassiinae (Lepidoptera, Papilionidae). *Tijdschr. Ent.* 136: 137-146.
455. **Häuser,C.L. & W.Eckweiler,** 1997, A catalogue of the species-group taxa in *Agrodiaetus* Hübner, 1822, a subgenus of *Polyommatus* Latreille, 1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep.). *Nachr. Ent. Ver. Apollo*, Suppl. 16: 53-112.
456. **Igarashi,S.,** 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. *Tyo to Ga* 34 (29): 41-96.
457. **Jachontov,A.A.,** 1935, Our Butterflies. Moskow.
458. **John,O.,** 1910, Eine Revision der Gattung *Leucanitis* Gn. *Horae Soc. ent. ross.* 39: 585-633, Taf. xvi-xxiii, 5 textfigs.
459. **Jong,R.de,** 1972, Systematics and geographic history of the genus *Pyrgus* in the Palaearctic Region (Lepidoptera, Hesperidae). *Tijdschr. Ent.* 115(1): 1-121, 60 textfigs., 6 Pls.

460. **Jong,R.de**, 1975, Notes on the genus *Pyrgus* (Lepidoptera, Hesperidae). Zool. Meded. 49(1): 1-11, 1 Pl. 5 figs.
461. **Jong,R.de**, 1978, Monograph of the genus *Spialia* Swinhoe (Lepidoptera, Hesperidae). Tijdschr. Ent. 121: 23-146.
462. **Jong,R.de**, 1984, Notes on the genus *Thymelicus* Hübner (Lepidoptera, Hesperidae). Nota lepid. 7 (2): 148-163, 31 figs.
463. **Jordan,K.**, 1907, Familie: Zygaenidae, Widderchen. [in] Seitz,A., Die Gross-Schmett. Erde 2: 3-17, pls. 1-3.
464. **Jordan,K.**, 1907, Familie: Papilionidae, Segelfalter. [in] Seitz,A., Die Gross-Schmett. Erde 5: 11-45, pls. 1-17.
465. **Jordan,K.**, 1909, Familie: Zygaenidae, Widderchen. [in] Seitz,A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart.
466. **Jutzeler,D. et al.**, 1998, A comparison between *Hipparchia pellucida* (Stauder,1923) from Georgia and *Hipparchia semele* (Linnaeus,1758) from NW Germany (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(7): 277-284, figs.
467. **Kaabak,L.V., Tarasov,E.A. & V.K.Tusov**, 1997, Family: Papilionidae, [in] Tusov,V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
468. **Kaila,L. & A.Albrecht**, 1994, The classification of the *Timandra griseata* group (Lepidoptera, Geometridae, Sterrhinae). Ent. scand. 25: 461-479, figs.
469. **Kaila,L. & J.Jalava**, 1994, *Elachista adelpha* sp.n., *Elachista coeneni titanella* ssp.n., and other Elachistidae (Lepidoptera) from North Caucasus. Ent. fenn. 5 (2): 97-102, 5figs.
470. **Kandul,N.P., et al.**, 2004, Phylogeny of *Agrodiaetus* Hübner,1822 (Lepidoptera, Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1-alfa: Karyotype diversification and species radiation. Syst. Biol. 53 (2): 278-298.
471. **Karsholt,O. & J.Razowski (eds)**, 1996, The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stentrup.
472. **Karsholt,O. & T.Rutten**, 2005, The genus *Bryotropha* Heinemann in the Western Palaearctic (Lepidoptera, Gelechiidae). Tijdschr. Ent. 148: 77-207, 422 figs.
473. **Karsholt,O.**, 1997, The genus *Chrysoclista* Stainton,1854 in Europe (Lepidoptera, Agonoxenidae). Ent. Meddr. 65(1): 29-33, 4 figs.
474. **Kemal,M. & A.Ö.Koçak**, 2004, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 90: 1-5.
475. **Kemal,M. & A.Ö.Koçak**, 2007, Revised and expanded list of the vernacular names of the Lepidoptera in Turkish language. Priamus 12 (4): 95-125.
476. **Kemal,M. Seven,S. & A.Ö.Koçak**, 2007, Chapter 2: Valid genus group names (Genera, Subgenera, and Sections) recorded in the Databank of the Cesa, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World - I. Cent. ent. Stud., Memoirs 3-4: 23-142.
477. **Kennel,J.**, 1900, Neue Palaearktische Tortriciden, nebst Bemerkungen über einige bereits beschriebene Arten. Dt. ent. Z., Iris 13: 124-159, Taf.
478. **Kennel,J.**, 1901, Neue Wickler des palaearktischen Gebietes. Dt. ent. Z., Iris 13: 205-305.
479. **Kennel,J.**, 1908-1921, Die Palaearktische Tortriciden. Zoologica 21 (54) (1908): 1-100; Taf.1-6; (1910): 101-232, Taf.7-12; (1913): 233-397, Taf.13-16; (1916): 398-546, Taf. 17-20; (1921): 545-742, Taf.21-24.
480. **Kennel,J.**, 1919, Mittelasiatische und andere neue Tortriciden. Mitt. münch. ent. Ges. 8: 50-95.
481. **Kheil,N.M.**, 1911, *Parnassius nordmanni*, nebst einer Einleitung über die "Parnassiiden als Handelsartikel". Int. ent. Z. 5: 83-86.
482. **Kirby,W.F.**, 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London.
483. **Kirby,W.F.**, 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London.

484. Kirby, W.F., 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London.
485. Kirby, W.F.G., 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
486. Kiriakoff, S.G., 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143.
487. Kitching, I.J. & J.E. Rawlins, 1999, The Noctuoidea, [in] N.P. Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M. Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
488. Klemstein, J., 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21.
489. Klima, A., 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague
490. Klima, A., 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.89. 1-224pp. W.Junk, Berlin & The Hague
491. Klima, A., 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.94. 225-384pp. W.Junk, Berlin & The Hague
492. Kljutschko, Z.F., 1983, New and little known species of the Noctuid moths of the genus *Euchalcia* Hbn. (Lepidoptera, Noctuidae). Ent. rev. (Ent. Obozr.) 62: 123-130, figs.
493. Klots, A.B., 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl.
494. Klots, A.B., 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242.
495. Klots, A.B., 1970, Lepidoptera. [In] Tuxen, S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2).
496. Kolenati, F.A., 1846, Meletemata Entomologica Insecta Caucasi: Coleoptera, Dermaptera, Lepidoptera, Neuroptera, Mutiliidae, Aphaniptera, Anoplura. Petropoli, Typis Imp. Acad. Sci., Fasc. 5, 3+170pp., 3 Pls.
497. Korb, M., 1903, Eine neue Zygaena. Dt. ent. Z., Iris 15: 326-327.
498. Korb, M., 1936, Neues über asiatische Zygaenen. Ent. Z., Frankf. a. M. 50: 398-401.
499. Korolev, V.A. & V.S. Murzin, 1997, Historical review, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
500. Korshunov, Y.P. & P. Gorbunov, 1995, The butterflies of the Asian part of Russia. Rhopalocera. 202 pp., 421 maps, 5 Pls. [in Russian].
501. Korshunov, Y.P., 1972, A Catalogue of Rhopalocera (Lepidoptera) of the USSR. Ent. Obozr. 51 (1): 136-154; (2): 352-362.
502. Kostrowicki, A.S., 1969, Geography of the Palearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warschau.
503. Kotzsch, H., 1935, Colias Studien meiner Armenien Reise 1934. Ent. Z., Frankf. a. M. 49: 97-101.
504. Kozhantshikov, I.V., 1928, Beitrag zur Kenntnis der Agrotiden. Übersicht der Gattung *Triphaena* Hb. Encycl. ent. (B3) 3: 67-87, 7 figs.
505. Kozhantshikov, I.V., 1929, Anmerkungen [sic] zur systematischen Stellung manchen Agrotiden und neue Arten derselben aus dem Kaukasus und Turkestan. Bull. Mus. Georg. Tiflis 5: 87-96, 26 figs.
506. Kozhantshikov, I.V., 1929, Zur Kenntnis der Agrotiden (Lepidoptera, Noctuidae). I. Übersicht der Gattung *Euxoa* Hb. Ezheg. zool. Mus. 30: 141-216, figs. Pls.
507. Kozhantshikov, I.V., 1930, Uebersicht der Gattung *Dichagyris* Ld. (Lepidoptera, Noctuidae). Russk. ent. Obozr. 24 (1/2): 1-30, 5 Tab.
508. Kozhantshikov, I.V., 1950, Volnyiaki (Orgyidae). Fauna SSSR, 12: 1-581 pp. Moskva-Leningrad.
509. Kozlov, M.V. & E.L. Zvereva, 2006, Aggregation of *Micropterix maschukella* moths on inflorescens of common elder: mating at foraging sites (Lepidoptera Micropterigidae). Ethology Ecology & Evolution 18: 147-158, figs.

510. **Kozlov, M.V.**, 1994, Geographical variation in wing pattern of *Micropterix maschukella* Alpheraky, 1876 (Lepidoptera, Micropterigidae). *Nota lepid.* 17 (1/2): 45-52, figs.
511. **Kozlov, M.V.**, 2003, Annotated checklist of the European species of *Nemophora* (Adelidae). *Nota lepid.* 26 (3/4): 115-126.
512. **Koçak, A.Ö. & M.Kemal**, 2000, A replacement name in the section *Agrodiaetus* Hbn. of the genus *Polyommatus* Latreille (Lycaenidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 62: 7-8.
513. **Koçak, A.Ö. & M.Kemal**, 2000, Nomenclatural notes on some taxa (Papilionoidea, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 65/66: 10-12.
514. **Koçak, A.Ö. & M.Kemal**, 2000, *Chazara briseis* (Linnaeus) üzerine revizyon notları (Satyridae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 65/66: 1-5.
515. **Koçak, A.Ö. & M.Kemal**, 2000, *Euphydryas* Scudder cinsi içinde "sareptana Staudinger" in taksonomik durumu hakkında (Argynnidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 70: 5-6.
516. **Koçak, A.Ö. & M.Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Stud., Misc. Pap.* 74: 1-3.
517. **Koçak, A.Ö. & M.Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Misc. Pap.* 75: 1-3.
518. **Koçak, A.Ö. & M.Kemal**, 2001, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) I. *Cent. ent. Stud., Misc. Pap.* 77: 1-8.
519. **Koçak, A.Ö. & M.Kemal**, 2001, *Polyommatus* Latr. cinsindeki *Agrodiaetus* seksiyonunun biyolojik çeşitliliği zoocoğrafyası ve taksonomisi üzerine bir araştırma (Lycaenidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 78/79: 1-11, 4 Tab.
520. **Koçak, A.Ö. & M.Kemal**, 2002, Türkiye'de bir Karakuşaklı Güzel *Colobochyla platyzona* (Lederer, 1870) (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 86: 2-5, figs.
521. **Koçak, A.Ö. & M.Kemal**, 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte *Hyponephele Muschamp* cinsinin kataloğu (Lepidoptera, Satyridae). *Cent. ent. Stud., Misc. Pap.* 80/81: 1-15, 1 Tab.
522. **Koçak, A.Ö. & M.Kemal**, 2006, Checklist of Lepidoptera of Turkey. *Cent. ent. Stud., Priamus Suppl.* 1: 1-196.
523. **Koçak, A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Kars Province (North East Turkey) (Lepidoptera). *Priamus* 11 (6): 113-131.
524. **Koçak, A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ağrı Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 107/108: 1-12.
525. **Koçak, A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Artvin Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 109/110: 1-16.
526. **Koçak, A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ardahan Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 128: 1-8.
527. **Koçak, A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Iğdır Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 129/130: 1-12.
528. **Koçak, A.Ö. & M.Kemal**, 2007, Annotated List of the *Lycaena* Fabr. (Lycaenidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 135: 1-8.
529. **Koçak, A.Ö. & M.Kemal**, 2007, Revised and annotated checklist of the Lepidoptera of Turkey. *Cent. ent. Stud., Priamus Suppl.* 8: 1-150, 2 Tables.
530. **Koçak, A.Ö. & M.Kemal**, 2007, Preliminary checklist of *Loxostege* Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). *Cent. ent. Stud., Misc. Pap.* 136: 2-8, 3 Tab.
531. **Koçak, A.Ö. & M.Kemal**, 2007, Distributional maps of the Lepidoptera based upon the CESA Info-System I-Genera: *Callophrys* Billb., *Celastrina* Tutt, *Chilades* Moore, *Cigaritis* Donz., and *Cupido* Schr. in Turkey (Lycaenidae). *Cent. ent. Stud., Icon. Insect. (Ser.D)*: 12pp. 32 maps [pdf].
532. **Koçak, A.Ö. & M.Kemal**, 2007, Chapter 4: Bibliography of the Lepidoptera (BL), [in] Koçak, A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World - I. *Cent. ent. Stud., Memoirs* 3-4: 1126-1277.

533. Koçak,A.Ö. & M.Kemal, 2007, Chapter 6: Results of the researches on the animal interaction: Food-plants of the Lepidoptera (FL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World - I. Cent. ent. Stud., Memoirs 3-4: 1602-1658, Pls.
534. Koçak,A.Ö. & S.Seven, 1994, Türkiye Lepidoptera Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141.
535. Koçak,A.Ö. & S.Seven, 1995, Türkiye'den Yeni Bir Lycaenidae Taksonu Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 25: 1-5, 1 harita.
536. Koçak,A.Ö. & S.Seven, 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8.
537. Koçak,A.Ö. & S.Seven, 1997, Lacydes spectabilis sheljuzhkoii Dubatolov'un Türkiye'de bulunuşu hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 1-2, 1 harita.
538. Koçak,A.Ö. & S.Seven, 1998, Eski Dünya Polyommata alttribusuna ait taksonların nomenklatürü ve sınıflandırması hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 1-5, 1 grafik.
539. Koçak,A.Ö. & S.Seven, 1998, A tentative list of the threatened butterflies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 3-8.
540. Koçak,A.Ö., 1977, Studies on the family Lycaenidae (Lep.) I. New taxa and records from East Turkey. Atalanta 8 (1): 41-62, 24 figs.
541. Koçak,A.Ö., 1980, Some notes on the nomenclature of Lepidoptera. Commun. Fac. Sci. Univ. Ankara, (Ser C3, Zool.) 24: 7-25.
542. Koçak,A.Ö., 1980, On the nomenclature of some genus- and species-group names of Lepidoptera. Nota lepid. 2 (4): 139-146.
543. Koçak,A.Ö., 1981, Buszkoiana nom.nov. A Replacement name in the family Pterophoridae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 10.
544. Koçak,A.Ö., 1981, On the nomenclature of some genera of the family Psychidae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 7-10; 1(3): 122-123.
545. Koçak,A.Ö., 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96.
546. Koçak,A.Ö., 1981, On the type-species of the genus Proterebia Roos & Arnscheid,1980 (Satyridae, Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 6-7.
547. Koçak,A.Ö., 1981, On the nomenclature of some genera of Lepidoptera. Cent. ent. Stud., Priamus 1(1): 18-23; 1(3): 97-109, 112-122.
548. Koçak,A.Ö., 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37.
549. Koçak,A.Ö., 1982, On the date of publication of "Nachtrag" of Heydenreich's Lepidopterorum Europaeorum Catalogus Methodicus (3.ed.), 130pp. 1851. Cent. ent. Stud., Priamus 2 (2): 92-95.
550. Koçak,A.Ö., 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller,1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
551. Koçak,A.Ö., 1983, Some notes on "Classification of the superfamily Sesioidea (Lepidoptera, Ditrysia)" by J. P. Heppner & W. D. Duckworth,1981. Cent. ent. Stud., Priamus 2 (4): 169-170.
552. Koçak,A.Ö., 1983, On the nomenclature of the genus Hipparchia Fabricius,1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169.
553. Koçak,A.Ö., 1983, On the nomenclature of Thersamonia thersamon (Esper,1784) from the West Palaearctic Region (Lycaenidae, Lepidoptera). Cent. ent. Stud., Priamus 3 (1): 3-5.
554. Koçak,A.Ö., 1983-1986, More notes on the homonymy of the specific names of Lepidoptera. Cent. ent. Stud., Priamus 2 (1983) (4): 164-166; 3 (1983) (2): 41-42; 4 (1986) (1/2): 55-60.
555. Koçak,A.Ö., 1986, On the paper "Lepidoptera names of Denis & Schiffermüller - A case for stability" by K.Sattler & W.G. Tremewan in 1984. Cent. ent. Stud., Priamus 4 (1): 3-12.

556. **Koçak,A.Ö.**, 1987, Chersotis (Cyrebia) adili sp.n. Description of a new species from N.E. Turkey, with some notes on other closely related species (Lepidoptera, Noctuidae). Cent. ent. Stud., Priamus 4 (3): 121-125, figs.
557. **Koçak,A.Ö.**, 1989, Provision of a valid name for the type-species of the genus Sideridis Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2.
558. **Koçak,A.Ö.**, 1989, On the authorship of the family name Lemoniidae with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149.
559. **Koçak,A.Ö.**, 1989, Description of the genus Adoritis (gen.n.) with notes on other closely related groups in Parnassiinae (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 163-170, figs.
560. **Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4.
561. **Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7.
562. **Koçak,A.Ö.**, 1991, Introductions and Remarks, [in] Seven,S. & S.Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara.
563. **Koçak,A.Ö.**, 1995, Lepidoptera Palaeo-Tropica Araştırma Programı Hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5.
564. **Koçak,A.Ö.**, 1996, Güney Batı Asya Polyommatae Taksonlarının Listesi ve Bazı Nomenklatur Notları (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 30/33: 1-32.
565. **Koçak,A.Ö.**, 2000, Revisional notes on the taxonomy of 'eurytilos Gerhard' and 'surakovi Dantchenko & Lukhtanov' in the genus Latreille (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 8-10.
566. **Koçak,A.Ö.**, 2007, Chapter 1: General Information [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World - I. Cent. ent. Stud., Memoirs 3-4: 2-22.
567. **Koçak,A.Ö., Kemal,M. & S.Seven**, 2007, Chapter 5: Original references to the genus- and species group names of the Lepidoptera, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World - I. Cent. ent. Stud., Memoirs 3-4: 1278-1601.
568. **Koçak,A.Ö., Seven,S. & M.Kemal**, 2007, Chapter 3: Valid species group names (species and subspecies) recorded in the Databank of the Cesa, [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World - I. Cent. ent. Stud., Memoirs 3-4: 143-1125.
569. **Krulikowsky,L.**, 1904, Sarothripus revayana var.asiatica. Rev. russk. Ent. 4:91-92.
570. **Kudrna,O. & E.Balletto**, 1984, An Annotated Catalogue of the Skippers (Lepidoptera: Hesperiidae) named by Roger Verity. J. Res. Lepid. 23(1): 35-49.
571. **Kudrna,O.**, 1974, Artogeia Verity, 1947, gen.rev. for Papilio napi Linnaeus (Lepidoptera, Pieridae). Entomologist's Gaz. 25: 9-12, 7 figs.
572. **Kudrna,O.**, 1975, A revision of the genus Gonepteryx Leach (Lep., Pieridae). Entomologist's Gaz. 26: 3-37, 50 figs.
573. **Kudrna,O.**, 1975, On a hitherto undescribed European species of the genus Hipparchia Fabricius (Lep., Satyridae). Entomologist's Gaz. 26: 197-207, 15 figs.
574. **Kudrna,O.**, 1982, On the nomenclature of Colias alfaciensis Berger, 1948 (Lepidoptera, Pieridae). J. Res. Lepid. 20: 103-110.
575. **Kudrna,O.**, 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. J. Res. Lepid. 21: 1-106.
576. **Kudrna,O.**, 1985, European butterflies (Lepidoptera, Papilionoidea) named by Hans Fruhstorfer. Nachr. ent. Ver. Apollo, Suppl. 5: 1-60.
577. **Kudrna,O.**, 1989, An annotated checklist of taxa referable to the genus Arethusana Lesse,1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 40: 23-30.
578. **Kupido,F.J.**, 1825, Neuentdecktes Nachtpfauenauge, Saturnia caecigena. 11pp., 1pl. Brunn.

579. **Kuznetsov, V.I. & S.V. Baryshnikova**, 2001, Review of the Palearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily Ornixolinae Kuznetsov & Baryshnikova, subfam.n. Ent. Obozr. 80 (1): 96-120, figs.
580. **Kuznetsov, V.I.**, 1962, *Bucculatrix ulmicola* Kuzn. sp.n. Akad. Wiss. armSSR. 35: 81-83, figs.
581. **Kuznetsov, V.I.**, 1962, Neue palaearktische Arten der Gattung Laspeyresia Hb. (Lepidoptera, Tortricidae). Ent. Obozr. 41: 627-642, figs.
582. **Kuznetsov, V.I.**, 1972, New species of the leaf-rollers (Lepidoptera, Tortricidae) from Iran and Caucasus Trudy zool. Inst. Leningrad 1972: 311-318, 8 figs.
583. **Kuznetsov, V.I.**, 1976, New species and subspecies of the Leafrollers (Lepidoptera, Tortricidae) of the fauna of the Palearctic. Proc. zool. Inst. USSR 64: 3-33, 33 figs.
584. **Kühne, L. & W. Speidel**, 2004, The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184.
585. **Lamas, G.**, 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). Entomofauna 26 (6): 57-100.
586. **Laszlo, G.M. & B. Herczig**, 1995, A general survey of the Geometridae (Lepidoptera) fauna of the Checheno-Ingoush Republic (Russia, NE Caucasus). Folia ent. hung. 56: 75-84.
587. **Latreille, P.A.**, 1809, Genera Crustaceorum et Insectorum vol. 4, 1-399, pls. 13-16. Amand Koenig, Paris.
588. **Latreille, P.A.**, 1810, Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes avec un tableau methodique de leurs genres disposés en familles. 444 pp. Paris.
589. **Lattin, G.de**, 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. Decheniana 105/106: 115-164.
590. **Lattin, G.de**, 1967, Grundriss der Zoogeographie. [In] Borris, H. & Gersch, M., Hochschulelehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena.
591. **Lederer, J.**, 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.- bot. Ver. Wien 3: 165-269, pls.
592. **Lederer, J.**, 1857, Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16+252pp., 4 Pls. Wien.
593. **Lederer, J.**, 1857, Die körperlichen Auszeichnungen der europäischen Hesperiden. Wien. ent. Monatschr. 1: 75-80.
594. **Lederer, J.**, 1857, Über die Lycaeniden-Gattungen der europäischen Fauna. Wien. ent. Monatschr. 1: 25-32.
595. **Lederer, J.**, 1859, Classification der europäischen Tortriciden. Wien. ent. Monatschr. 3: 118-126, 141-155, 241-255, 273-288, 328-346, 366-389, 2 Pls.
596. **Lederer, J.**, 1863, Beitrag zur Kenntnis der Pyraliden. Wien. ent. Monatschr. 7(8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18.
597. **Lederer, J.**, 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie. Annls. Soc. ent. Belg. 13: 17-54, 2 Taf.
598. **Lefèbvre, M.A.**, 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl.5.
599. **Lesse, H.de**, 1951, Divisions génériques et subgénériques des anciens genres Satyrus et Eumenis (sensu lato). Revue fr. lépid. 13 (3/4): 39-43.
600. **Lesse, H.de**, 1952, Revision de l'ancien genre Satyrus (s.l.). Annls Soc. ent. Fr. 120 (1951): 77-101, 28 figs.
601. **Lesse, H.de**, 1952, Revision des anciens genres Pararge (s.l.) et Maniola (=Epinephele auct.). Annls Soc. ent. Fr. 121 (1952): 61-76, 24 figs.
602. **Lesse, H.de**, 1960, Spéciation et variation chromosomique chez le Lépidoptères Rhopalocères. Annls. Sci. nat. (2.ser) Zool. 2: 1-223, 222 figs.
603. **Lesse, H.de**, 1961, Variations géographiques des caractères externes chez les espèces autrefois réunies sous le nom d'Agrodiaetus ripartii Freyer (Lep., Lycaenidae). Revue fr. Ent. 28 (2): 93-100.

604. **Linnaeus,C.,** 1758, *Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1,* 823 pp. Holmiae.
605. **Linnaeus,C.,** 1761, *Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ...* 578pp. Stockholmiae.
606. **Linnaeus,C.,** 1764, *Museum S.R.M. Ludovicae Ulrica Reginae etc. in quo animalia rariora, exotica, inprimis insecta et conchilia describuntur et determinantur, prodromi instar editum.* 720pp., Holmiae.
607. **Linnaeus,C.,** 1767, *Systema Naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp.* Holmiae.
608. **Lorkovic,Z.,** 1972, *Karyological identification of the Caucasian species of the Erebia tyndarus Group (Lepidopt., Satyridae).* *Acta ent. Jugosl.* 8 (1/2): 111-121, 19 figs.
609. **Lovtrup,S.,** 1975, *On the Phylogenetic Classification.* *Acta zool. cracov.* 20 (14): 499-524, 2 text-figs.
610. **Lukhtanov,V.A.,** 1991, *Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World.* *Ent. Obozr.* 70(3): 619-636, 3 figs.
611. **Lvovsky,A.L.,** 1992, *New species and subspecies of Oecophorid moths of the genus Pleurota Hübner,1825 (Lepidoptera, Oecophoridae).* *Ent. Obozr.* 71(3): 630-639 [engl. transl. *Ent. rev.* 72(6): 67-76, 14 figs.,1993]
612. **Lvovsky,A.L.,** 1995, *New and little known genera and species of the broad-winged moths (Lepidoptera, Oecophoridae, Depressariidae) of the Palearctic fauna.* *Ent. Obozr.* 74(1): 138-152, figs. [engl. text: *Ent. Rev.* 75(3): 41-55, 25 figs., 1996].
613. **Lvovsky,A.L.,** 1996, *Composition of the genus Odites Wlsm. and status of the genus in the taxonomic system of Gelechioidea s.l. (Lepidoptera).* *Ent. Obozr.* 75 (3): 650-659, figs. [engl. text: *Ent. Rev.* 76(4): 529-536, 21 figs., 1996].
614. **Lvovsky,A.L.,** 2001, *A review of Flat Moths of the genus Depressaria Haworth,1811 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries I.* *Ent. Obozr.* 80 (3): 680-705, figs.
615. **Lvovsky,A.L.,** 2003, *Check-list of the Broad-winged Moths (Oecophoridae s.l.) of Russia and adjacent countries.* *Nota lepid.* 25 (4) (2002): 213-220.
616. **Lödl,M.,** 1994, *Remarks on the classification of the genera Hypena Schrank,1802, Dichromia Guenée,1854, und Harita Moore,1882 (Lepidoptera, Noctuidae).* *Nota lepid.* 16(3/4): 241-250, figs.
617. **Mabille,M.P.,** 1909, *Hesperiidae, [in] Seitz,A., Die Gross-Schmetterlinge der Erde, vol. 1: 330-354S., Taf. 84-89.* Alfred Kerner Verlag. Stuttgart.
618. **Maes,K.,** 1984, *Some remarks on the genus Euproctis Hübner,[1819] 1816 (Lepidoptera, Lymantriidae).* *Nota lepid.* 7: 55-58, figs.
619. **Maes,K.V.N.,** 2002, *On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae).* *Nota lepid.* 24 (4) (2001): 51-58.
620. **Manley,W.B.L. & H.G.Allcard,** 1970, *A field guide to the butterflies and burnets of Spain.* E.W.Classey Ltd. Hampton.
621. **Marion,H.,** 1957, *Complément à la classification et nomenclature des Pyraustidae d'Europe.* *Entomologiste* 13: 129-130.
622. **Marion,H.,** 1957, *Classification et nomenclature des Pyraustidae d'Europe.* *Entomologiste* 13: 75-87.
623. **Marten,W.,** 1937, *Zur Kenntnis der Axiidae.* *Ent. Rdsch.* 55:.. 15-17, 21-23, 45-48, 61-66, 25 Abb.
624. **Meyrick,E.,** 1890, *On the classification of the Pyralidina of the European fauna.* *Trans. ent. Soc. London* 1890: 429-492, Pl.xv
625. **Meyrick,E.,** 1892, *On the classification of the Geometrina of the European fauna.* *Trans. ent. Soc. London* 1892: 53-140, Tab.iii.

626. **Meyrick,E.,** 1892, Classification by structure of imago. Entomologist's Rec. J. Var. 3: 104-106.
627. **Meyrick,E.,** 1912, Adelidae, Micropterygidae, Gracilariidae. [in] Wagner,H., Lepidopterorum Catalogus Pars 6. 68pp. Dr.W.Junk Berlin.
628. **Meyrick,E.,** 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner,H., Lepidopterorum Catalogus Pars 13. 53pp. Dr.W.Junk Berlin.
629. **Meyrick,E.,** 1936-1937, Exotic Microlepidoptera, vol.5. 160pp.
630. **Michener,C.D.,** 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. Bull. Am. Mus. Nat. Hist. 98: 335-502, 5 Pls.
631. **Mikkola,K.,** 1981, Notes on some Geometrid and Noctuid species described by J. F. Fabricius (Lepidoptera). Ent. scand. 12: 433-436.
632. **Mikkola,K.,** 1985, The Geometroidea and Noctuoidea described by Carl Clerck (Lepidoptera). Ent. scand. 16: 121-129.
633. **Mikkola,K., Lafontaine,J.D. & P.Grotenfelt,** 1987, A revision of the Holarctic Chersotis and eregii complex (Lepidoptera, Noctuidae). Nota lepid. 10 (3): 140-157, 6 figs.
634. **Miljanowsky,Y.S.,** 1961, Contributions to the fauna of Abkhasia. Ann. zool. Inst. GeorgienSSR 18:
635. **Miljanowsky,Y.S.,** 1964, Lepidopterous fauna of Abchasiya. Proc. Sukhumi eth. oil. cult. res. station. 5: 91-190.
636. **Miller,J.S.,** 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). Bull. Am. Mus. Nat. Hist. 186 (4): 365-512.
637. **Minet,J.,** 1986, Ebauche d'une classification moderne de l'ordre des Lépidoptères. Alexanor 14: 291-313.
638. **Minet,J.,** 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). Alexanor 16 (4) (1989): 239-255, figs.
639. **Minet,J.,** 1991, Tentative reconstruction of the ditrysiian phylogeny (Lepidoptera: Glossata). Ent. scand. 22: 69-95.
640. **Mironov,V.,** 2003, The Geometrid Moths of Europe Vol. 4 Larentiinae II. 462 pp., figs. Pls. Apollo Books.
641. **Mironov,V.G.,** 1988, A new species of Eupithecia Curt. from Transcaucasia (Lepidoptera, Geometridae). Ent. Obozr. 1988 (2): 369-371, 4figs.
642. **Mitter,C. & E.Silverfine,** 1987, On the systematic position of Catocala Schrank (Noctuidae). Syst. Ent. 13: 67-84, figs.
643. **Mosher,E.,** 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs.
644. **Munroe,E.,** 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51.
645. **Munroe,E.,** 1970, Types of Nymphulinae, Scopariinae, Cybalomiinae, Odontiinae, Evergestinae, and Pyraustinae (Lepidoptera, Pyralidae) in the Zoological Institute, Academy of Sciences of the USSR, Leningrad, with selections of lectotypes. Can. ent. 102: 1025-1035.
646. **Mutuura,A. & E.Munroe,** 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus Ostrinia (Lepidoptera, Pyralidae). Mem. ent. Soc. Can. 71: 1-112, 661 figs.
647. **Müller,O.F.,** 1764, Fauna insectorum Fridrichsdalina sive methodica descriptio insectorum agri Fridrichsdalensis... xxiv+96pp. Hafniae et Lipsiae.
648. **Ménétriés,E.,** 1859, Verzeichniss von Insecten aus der Gegend Nachitschewan und dem nördlichen Persien. Nouv. Mém. Soc. imp. Nat. Mosc. 12: 247.
649. **Ménétriés,E.,** 1859, Sur les Lépidoptères de Lenkoran et de Talyche. Bull. phys. Acad. Sci. St.-Petersb. 17: 313-316.
650. **Nardelli,U.,** 1993, Zur Biologie einer wenig bekannten Zerynthiinae: Allancastris caucasica tkatshukovi Sheljuzhko (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 103(22): 409-415, 7 Abb.

651. **Naumann, C.M. & W.G. Tremewan**, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung *Zygaena* Fabricius, 1775 (Insecta, Lepidoptera, Zygaenidae). *Spixiana* 7 (2): 161-193, 24 figs.
652. **Nekrutenko, Y.P. & R.M.E. Effendi**, 1980, A new species of *Tomares* from Talysh Mountains (Lycaenidae). *Nota lepid.* 3(1/2): 69-72, 8 figs.
653. **Nekrutenko, Y.P. & R.M.E. Effendi**, 1983, A review of *Lycaena phoenicurus* - group (Lepidoptera, Lycaenidae) with description of a new species from Azerbaidjan. *Vestn. zool.* 1983 (4): 8-15.
654. **Nekrutenko, Y.P.**, 1973, On the taxonomic position of the Caucasian form of *Callophrys rubi* L. (Lycaenidae). *Dopov. Akad. Nauk. ukr. RSR. (B)* (10): 949-952
655. **Nekrutenko, Y.P.**, 1977, An undescribed taxon of *Polyommatus eros-eroides* group from Caucasus major. *Dokl. Akad. Nauk. UkrSSR* 6: 183-185, figs.
656. **Nekrutenko, Y.P.**, 1978, Two new subspecies of the lycaenid butterfly Subfamily Strymoninae (Lepidoptera, Lycaenidae) from East Georgia and West Azerbaijan. *Dopov. Akad. Nauk UkrRSR (Ser.B)* 1: 82-87, figs.
657. **Nekrutenko, Y.P.**, 1980, Revisional notes on lycaenid butterfly species assigned to *Ultraaricia Beuret* (Lycaenidae). *Nota lepid.* 2(4): 55-68, 16 figs.
658. **Nekrutenko, Y.P.**, 1983, Obsor golubianok gruppy *Lycaena phoenicurus* (Lepidoptera, Lycaenidae) s opisaniem novogo vida is Azerbaidjana. *Vestn. zool.* 1983 (4): 8-15, figs.
659. **Nekrutenko, Y.P.**, 1984, Revisiya tipovichykh eksempliarov gruppy *Lycaena phoenicurus* (Lepidoptera, Lycaenidae). *Vestn. zool.* 1984 (6): 43-49, figs.
660. **Nekrutenko, Y.P.**, 1985, New blue butterfly taxa from Transcaucasia and Middle Asia. *Vestn. Zool.* 1985 (4): 29-35, figs. [in Ukrain.]
661. **Nekrutenko, Y.P.**, 1987, A new genus of the subfamily Lethinae (Lepidoptera, Satyridae). *Vestn. Zool.* 1987 (2): 83-85.
662. **Nekrutenko, Y.P.**, 1988, *Esperarge Nekrutenko* (Lepidoptera, Satyridae), nom.n. pro *Esperella Nekrutenko* 1987. *Vestn. Zool.* 1988(1): 50.
663. **Nekrutenko, Y.P.**, 1990, *Kafkasya Kelebekleri-I*. 213 pp., 32 pls., 106 figs.
664. **Nekrutenko, Y.P.**, 2000, A catalogue of the type specimens of Palaearctic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universitaet zu Berlin. *Nota lepid.* 23 (3/4): 192-352.
665. **Nel, J.**, 1995, Découverte d'authentiques *Stenoptilia mannii* (Zeller, 1852) en France (Lepidoptera, Pterophoridae). *Alexandria* 18 (7) (1994): 433-439, 6 figs.
666. **Nielsen, S.E.**, 1981, A taxonomic revision of the species of *Alloclementia* n.gen. (Lepidoptera: Incurvariidae s.str.). *Ent. scand.* 12: 271-294, 66 figs.
667. **Nieukerken, E.J.v.**, 1986, A provisional phylogenetic check-list of the western palaearctic Nepticulidae, with data on hostplants (Lepidoptera). *Ent. scand.* 17: 1-27.
668. **Nieukerken, E.J.v.**, 1986, Systematics and phylogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysis). *Zool. Verh.* 236: 1-93, figs.
669. **Nordmann, A.von**, 1851, Die im Gebiete der Fauna taurico-caucasica beobachteten Schmetterlinge. *Bull. Soc. imp. Nat. Moscou* 24: 395-428.
670. **Noreyka, R.V. & R.K. Puplesis**, 1992, Description of new species of moths of the family Gracillariidae (Lepidoptera) from Azerbaijan and Central Asia and the synonymy of *Gracillaria impictipennella* Grsm. *Ent. Obozr.* 71 (2): 414-421 [engl. transl. *Ent. rev.* 74(5): 43-51, 13 figs., 1995]
671. **Nye, I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London.
672. **Nässig, W.A.**, 1980, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) I. Brahmaeidae. *Nachr. ent. Ver. Apollo (N.F.)* 1 (3/4): 77-91, figs.
673. **Nässig, W.A.**, 1994, Vorschlag für ein neues Konzept der Gattung *Saturnia* Schrank, 1802 (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo (N.F.)* 15(3): 253-266.
674. **Oberthür, C.**, 1878, Catalogue raisonné des Papilionidae de la collection de Ch. Oberthür. *Etud. ent.* 4: 1-117, Pls.

675. **Obratzov, N.S.**, 1936, Nouvelles races de *Lycaena* (*Lysandra*) thesites Cant. Lambillionea 36: 11-18.
676. **Obratzov, N.S.**, 1952, Zur Revision der Synaphe-Arten der moldavica- und bombycalis-Gruppe (Lepidoptera, Pyralidae). Mitt. münch. ent. Ges. 42: 87-109, 10 Abb. Taf. 1.
677. **Obratzov, N.S.**, 1953, Systematische Aufstellung und Bemerkungen über die palaearktischen Arten der Gattung *Dichrorampha* Gn. (Lepidoptera, Tortricidae). Mitt. münch. ent. Ges. 43: 10-100, 50 Abb.
678. **Obratzov, N.S.**, 1966, Die palaearktischen *Amata*-Arten (Lepidoptera, Ctenuchidae). Veröff. zool. Stsamm. München 10: 1-383, Taf.
679. **Olivares, J., Jutzeler, D. & R. Leestmans**, 1999, *Arethusana boabdil* (Rambur, 1840) de la prov. de Grenade, Andalousie: une bonne espece ! (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belg. 17 (4): 135-154, pls., figs.
680. **Oorschot, H.v. & H.v.d. Brink**, 1989, *Rhopalocera* of Turkey 4. The specific problem of *Melitaea didyma* (Esper, 1779) and *M. transcaucasica* (Turati, 1919) (Lepidoptera, Nymphalidae). Nota lepid. 12(3): 183-186.
681. **Oorschot, H.v. & H.v.d. Brink**, 1994, *Rhopalocera* of Turkey 12. On the geographical variation of *Melitaea collina* Lederer, 1861 with description of *Melitaea collina lokmani* n.ssp. from South East Turkey (Lepidoptera, Nymphalidae). Phegea 22(2): 53-60, 2 pls., 5 figs.
682. **Opheim, M.**, 1956, Notes on the subgenus *Ateleomorpha* Warren (Lepidoptera, Hesperidae). Astarte 14: 1-14, 29 figs.
683. **Pagenstecher, A.**, 1911, Libytheidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 3. 12pp. Dr. W. Junk Berlin.
684. **Passerin d'Entrèves, P. & A. Roggero**, 2007, Fascicle 44 Scythrididae [in] Heppner, J.B., Lepidopterorum Catalogus (New Series), 85pp. Scientific Publishers, Gainesville & E.
685. **Petersen, G.**, 1965, Revision der Gattungen *Rhobobates* Ragonot und *Pachyarthra* Amsel (Lepidoptera, Tineidae). Beitr. Ent. 15(1/2): 87-100, 23 figs.
686. **Pitkin, L.M., Han, H. & S. James**, 2007, Moths of the tribe Pseudoterpnini (Geometridae, Geometrinae): a review of the genera. Zool. J. Linn. Soc. 150: 343-412, figs.
687. **Pittaway, A.R.**, 1983, An Annotated Checklist of the Western Palearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs.
688. **Pittaway, A.R.**, 1993, The Hawkmoths of the Western Palearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London.
689. **Pittaway, A.R.**, 1995, Sphingidae of the western Palearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine.
690. **Plötz, C.**, 1879, *Hesperina* Herr.-Sch. Stettin ent. Ztg. 40: 175-180.
691. **Plötz, C.**, 1882-1883, Die Hesperinen-Gattung *Hesperia* Aut. und ihre Arten. Stettin ent. Ztg. 43: 314-344, 436-456; 44: 26-64, 195-233.
692. **Plötz, C.**, 1884, Die Gattung *Cyclopides* Hübn. und ihre Arten. Stettin ent. Ztg. 44: 389.
693. **Plötz, C.**, 1884, Die Hesperinen-Gattung *Thymelicus* Hübn. und ihre Arten. Stettin ent. Ztg. 44: 284-290.
694. **Plötz, C.**, 1884, Die Hesperinen-Gattung *Carterocephalus* Led. und ihre Arten. Stettin ent. Ztg. 44: 386-388.
695. **Poltavsky, A.N. & A.V. Nekrasov**, 2002, The Noctuid moths of the South of Russia and Northern Caucasus (Lepidoptera). Esperiana 9: 21-47, pls.
696. **Poltavsky, A.N. & I.E. Vjatcheslavovna**, 2002, The Noctuidae (Lepidoptera) of the Daghestan Republic (Russia). Phegea 30 (1): 11-36, 8 figs. 2 pls.
697. **Poltavsky, A.N. & I.E. Vjatcheslavovna**, 2003, The Noctuidae (Lepidoptera) of the Daghestan Republic (Russia) II. Phegea 31 (4): 167-180, figs.
698. **Ponomarenko, M.G.**, 1989, Review of moths of the genus *Anarsia* Z. (Lepidoptera, Gelechiidae) of the USSR. Ent. Obozr. 1989 (3): 628-641, 22 figs.
699. **Poole, R.W.**, 1989, Noctuidae (Parts 1-3) [in] Heppner, J.B., Lepidopterorum Catalogus (New Series). Fascicle 118. xii + 1314 pp. E.J. Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln.

700. Povolny,D. & Z.Sustek, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). Staphia 16: 209-247.
701. Povolny,D., 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. Pr. brn. Zakl. csl. Akad. Ved. 28: 315-345, 4 figs.
702. Povolny,D., 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Univ. Agric. (Brno) 38: 191-204.
703. Povolny,D., 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.) 25: 1-61.
704. Prins,W.de & D.v.d.Poorten, 1995, Rhopalocera and Gypocera of Turkey 14. Taxonomic Revision of the *Pyrgus alveus* (Hübner,[1803]) complex from Greece to West China, with description of two new species from southern Turkey (Lepidoptera, Hesperidae). Phegea 23(1): 1-44, pls., figs.
705. Prins,W.de & J. de Prins, 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
706. Ragonot,E.L. & G.F.Hampson, 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff,N.M., Mém. lépid. 8: xiv + 602 pp. 31 Taf. St. Petersburg.
707. Ragonot,E.L., 1888, Nouveaux genres et espèces de Phycitidae et des Galleriidae. 52pp. Paris.
708. Ragonot,E.L., 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff,N.M., Mém. lépid. 7: lvi + 658 pp. 26 Taf. St. Petersburg.
709. Rambur,M.P., 1858, Catalogue systématique des Lépidoptères de l'Andalusie. Ballière, Paris.
710. Razowski,J., 1959, European species of Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 4: 179-423, pls. 27-67.
711. Razowski,J., 1959, Some remarks on Phaloniidae (Lepidoptera). Polski Pismo ent. 29: 437-446, figs.
712. Razowski,J., 1960, Studies on the Cochylidae (Lepidoptera) Part II The genera of the Palaearctic Cochylidae. Polski Pismo ent. 30: 281-356, figs.
713. Razowski,J., 1961, Studies on Cochylidae (Lepidoptera) Part VI. Remarks on types of some Cochylidae. Polski Pismo ent. 31: 301-319, figs.
714. Razowski,J., 1965, The Palaearctic Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 10 (3): 199-343, pls. 12-26.
715. Razowski,J., 1966, World fauna of the Tortricini (Lepidoptera, Tortricidae). Panstwowe Wydawnictwo Naukowe, Krakowie.
716. Razowski,J., 1968, Revision of the generic group *Agapeta* Hübner (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 73-102, figs.
717. Razowski,J., 1968, Revision of the generic group *Eupoecilia* Stephens (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 103-130, figs.
718. Razowski,J., 1968, Revision of the generic group *Cochylis* Treitschke (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 131-148, figs.
719. Razowski,J., 1968, Revision of the generic group *Cochylidia* Obraztsov (Lepidoptera, Cochylidae). Polski Pismo ent. 38: 3-8, figs.
720. Razowski,J., 1970, Cochylidae, [in] Amsel,H.E. et al., Microlepidoptera Palaearctica 3: xiv + 529 pp., 161 Taf., Wien.
721. Razowski,J., 1970, A short catalogue of the Palaearctic Cochylidae (Lepidoptera). Acta zool. cracov. 15: 341-400.
722. Razowski,J., 1977, Monograph of the genus *Archips* Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 22 (5): 55-206, 223 text-figs.
723. Razowski,J., 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296.
724. Razowski,J., 1984, Tortricini, [in] Amsel,H.E. et al., Microlepidoptera Palaearctica 6: xvi + 376 pp., 101 Taf., Wien.
725. Razowski,J., 1987, The genera of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae. Acta zool. cracov. 30 (11): 141-355.

726. **Razowski,J.,** 1989, The genera of Tortricidae Part II. Palaearctic Olethreutinae. Acta zool. cracov. 32 (7): 107-328.
727. **Razowski,J.,** 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. Acta zool. cracov. 34 (1): 99-162.
728. **Razowski,J.,** 1991, Notes on cochyline genus *Phtheochroa* Stephens (Lepidoptera, Tortricidae) with descriptions of new American species. Acta zool. cracov. 34 (1): 163-187, figs.
729. **Razowski,J.,** 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic Sparganothini Euliini Ramapesiini and Archipini. Acta zool. cracov. 35 (3): 665-703.
730. **Razowski,J.,** 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic Olethreutinae: Microcorsini, Bactrini, Endotherniini and Olethreutini. Acta zool. cracov. 38 (2): 285-324.
731. **Razowski,J.,** 1999, Catalogue of the species of Tortricidae Part V. Palaearctic Eucosmina and Enarmoniina (Insecta, Lepidoptera). Shilap Revta lepid. 27 (108): 437-506.
732. **Rebel,H.,** 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116.
733. **Rebel,H.,** 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268.
734. **Rebel,H.,** 1893, Neue oder wenig gekannte Microlepidopteren des palaearktischen Faunengebietes. Stettin ent. Ztg. 54 (1/3): 37-59.
735. **Rebel,H.,** 1900, Zur Auffassung der Lemoniiden als selbständige Lepidopteren-familie. Ent. Nachr. 26(4): 49-51.
736. **Rebel,H.,** 1901, II.Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. 368S. Berlin.
737. **Rebel,H.,** 1903, Neue Pyraliden aus Algerien und Westasien. Dt. ent. Z., Iris 16: 1-8, figs.
738. **Rebel,H.,** 1919, *Axia* (Cimelia) *margarita* Hb. und eine neue Lepidopterenfamilie Axiidae. Verh. zool.- bot. Ges. Wien 69: (111)-(114).
739. **Reh,L.,** 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
740. **Reich,P.,** 1935, *Callimorpha dominula* L. (Lepidoptera, Callimorphinae). Ent. Rdsch. 53(1): 8-10, (2): 30-31.
741. **Reiss,H. & G.Reiss,** 1973, On the *Zygaena* Fauna of the Neighbourhood of Lake Van in Asia Minor (Lep., Zygaenidae). Entomologist's Rec. J. Var. 85: 191-196, pls.14-15.
742. **Reiss,H. & W.G.Tremewan,** 1967, A Systematic Catalogue of the genus *Zygaena* Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag.
743. **Reiss,H.,** 1930-1931, Familie Zygaenidae. [in] Seitz,A., Gross-Schmett. Erde, Suppl. 2: 1-50. Stuttgart.
744. **Reiss,H.,** 1953, Über drei Zygaenen die als regressive Endemiten bezeichnet werden können, deren Entstehung vermutlich in der Pliozänzeit erfolgte. Z. wien. ent. Ges. 38: 131-141, Taf.8-10.
745. **Reissinger,E.J.,** [1990], Checkliste Pieridae Duponchel,1835 (Lepidoptera) der Westpalaearktis (Europa, Nordwestafrika, Kaukasus, Kleinasien). Atalanta 20 (1989): 149-185.
746. **Reverdin,J.L.,** 1909, *Pieris rapae*, L., and *P. manni*, Mayer. Entomologist's Rec. J. Var. 21: 149-150, Pl.xiii.
747. **Rezbanyai-Reser,L.,** 1997, Vier neue *Oligia*-Arten, *pseudodubia* (NW-Kaukasus) und *turcia* (Türkei), sowie *suleiman* und *vandarban* (Nord-Iran) (Lepidoptera, Noctuidae). Ent. Ber., Luzern 37: 149-169, Abb.
748. **Rjabov,M.A.,** 1926, Contributions to the Noctuid-fauna of the North Caucasus. Ann. North Cauc. Inst. loc. lore, Ordshonikidse 1926: 275-306.
749. **Robinson,G.S. & E.S.Nielsen,** 1983, The Microlepidoptera described by Linnaeus and Clerck. Syst. Ent. 8: 191-242.
750. **Robinson,G.S. & K.R.Tuck,** 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). Syst. Ent. 22: 363-396, figs.

751. **Robinson,G.S.**, 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 52 (2): 37-181, figs.
752. **Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez**, 2005, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsml>)> Natural History Museum, London.
753. **Roesler,R.-U.**, 1973, Trifine Acrobasiina (1. Teilband der Phycitinae). [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien.
754. **Roesler,R.-U.**, 1987, Die Gattung Conobathra Meyrick,1886 (Lepidoptera, Pyraloidea: Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 97 (3): 17-26, 4 Abb.
755. **Roesler,R.-U.**, 1993, Quadrifine Acrobasiina Erster Teil (2. Teilband der Phycitinae). [in] Amsel,H.G., Microlepidoptera Palaearctica vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe.
756. **Roine,A.**, 2000, Butterflies of Europe 2.0. CD-ROM.
757. **Romanoff,N.M.**, 1879, Quelques observations sur les Lépidoptères de la partie du Haut-Plateau Armenien, comprise entre Alexandropol, Kars et Erzeroum. Horae Soc. ent. ross. 14: 483-495, Taf.iii.
758. **Romanoff,N.M.**, 1884-1887, Les Lépidoptères de la Transcaucasie. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; ibid. 2: 1-118, Pls.; ibid. 3: 1-49, Pls.
759. **Ronkay,L. & Z.Varga**, 1985, Neue Noctuiden aus Armenien bzw. aus dem Kaukasus-Raum (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 36 (3/4): 86-94, 1 Taf., 5 Abb.
760. **Ronkay,L. & Z.Varga**, 1985, Luperina diversa (Staudinger,1891) bona species, mit der Beschreibung zwei neuer subspecies (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 77: 207-216, 27 Abb., 1 Pl.
761. **Ronkay,L. & Z.Varga**, 1989, Studies on the Palaearctic Noctuidae. Sect. Amphipyrrinae, I. The genus Pseudohadena Alpheraky,1889. The laciniosa group. Acta zool. hung. 35(3/4): 339-353, 19 figs. Pl.
762. **Ronkay,L. & Z.Varga**, 1993, Taxonomic studies on the genera Pseudohadena Alpheraky,1889 and Auchmis Hübner,[1821] (Lepidoptera, Noctuidae) Part IV. Acta zool. hung. 39(1/4): 211-248, figs.
763. **Ronkay,L.**, 1984, Notes on the genus Agrochola Hübner,1821 (Lepidoptera, Noctuidae). Part II. Acta zool. hung. 30 (1/2): 179-187, 9 figs.
764. **Ronkay,L.**, 1989, Taxonomic Studies on the genus Autophila Hübner, 1823 (Lepidoptera, Noctuidae), II. Acta zool. hung. 35(1/2): 111-141, 74 figs.
765. **Ronkay,L.**, 1990, New Noctuidae taxa from Asia Minor and the Caucasus (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 82: 155-162, 17 figs.
766. **Ronkay,L.**, 1990, New taxa of the genus Metalopha Staudinger,1892 (Lepidoptera, Noctuidae). Esperiana 1: 199-212, 26 figs.,pl.8.
767. **Rosen,K.von**, 1929, Familie Papilio[nidae]. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 7-20. Stuttgart.
768. **Rothschild,N.C.**, 1921, Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183.
769. **Rothschild,W.L. & K.Jordan**, 1903, A revision of the lepidopterous family Sphingidae. Novit. zool. 9, suppl.: cxxv + 972 pp., 67 pls.
770. **Rothschild,W.L. & K.Jordan**, 1916, Corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 115-123, 3 figs.
771. **Rothschild,W.L. & K.Jordan**, 1916, Further corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 247-263, 14 figs.
772. **Rothschild,W.L.**, 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463.
773. **Rothschild,W.L.**, 1910, Catalogue of the Arctianae in the Tring Museum, with notes and descriptions of new species. Novit. zool. 17 (1): 1-85; 17 (2): 113-171.

774. **Röber,J.,** 1907, 2. Familie Pieridae Weisslinge, [in] Seitz,A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf.
775. **Sabariago de la Plaza,E. & J.Aragonez de Ines,** 1978, Los Papilionidae de Espana. Cuaderno 6: 1-42, 7 pl.
776. **Samodurov,G.D., Korolev,V.A. & W.W.Tshikolovez,** 1996, Neue Taxa der Satyrinen-Gattung Hyponephele Muschamp,1915 (Lepidoptera, Nymphalidae, Satyrinae) aus Mittelasien und Transkaukasien. Nachr. ent. Ver. Apollo (N.F.) 17(1): 21-40, 24 Abb.
777. **Samodurov,G.D., Korolev,V.A. & W.W.Tshikolovez,** 2001, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp,1915 VII.Die Arten Hyponephele lycaon (Rott.,1775), H. pasimelas (Stgr.,1886), H. lycaonoides D.Weiss,1978, H. przhewalskyi Dub. Sergeev & Zhdanko,1994... (Lepidoptera, Satyridae). Atalanta 32 (1/2): 111-186, pls.
778. **Samodurov,G.D., Korolev,W.A. & W.W.Tschikolowez,** 2000, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp,1915 VI.Die Arten Hyponephele capella (Christoph,1877), H.narica (Hübner,[1808-1813]), H.naricina (Staudinger,1870), H.fusca (Stsh.,1960) und H.naricoides Gross,1977 (Lep., Satyridae). Atalanta 31 (1/2): 135-170, figs., pls. x-xii.
779. **Sattler,K.,** 1967, Ethmiidae, [in] Amsel,H.G., Gregor,F. H.Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien.
780. **Sattler,K.,** 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282.
781. **Sattler,K.,** 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with Pistacia, Rhus and Cotinus (Anacardiaceae). Entomologist's Gaz. 33: 13-32, 3 figs.
782. **Sauter,W. & P. Hättenschwiler,** 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil . Liste der palaearktischen Arten. Nota lepid. 14(1): 69-89.
783. **Sauter,W.,** 1968, Hilfstabellen zur Bestimmung europäischer Lycaeniden (Lep., Lycaenidae). Mitt. ent. Ges. Basel (N.F.) 18: 1-18, figs.
784. **Sauter,W.,** 1987, Zum System der westpalaearktischen Gracillariidae. Mitt. schweiz. ent. Ges. 60: 307-314.
785. **Schadewald,G.,** 1992, Beitrag zur Klärung der Melitaea britomartis-Gruppe (Lep., Nymphalidae). Esperiana 3: 545-551, Abb.
786. **Schaposchnikov,H.G.,** 1909, Remarks for Macrolepidoptera of central part of the North-West Caucasus. Ann. rev. Zool. Mus. Imp. Acad. Sci. St.Petersburg 3: 189-259 [in Russian].
787. **Schintlmeister,A. & A.N.Poltawski,** 1986, Neue und interessante Schmetterlinge aus dem Nordkaukasus und der Region Rostov/Don (Lepidoptera). Atalanta 16 (3/4): 287-298, 7 Taf.
788. **Schintlmeister,A.,** 1982, Verzeichnis der Notodontidae Europas und einiger angrenzender Gebiete. Nota lepid. 5 (4): 194-206.
789. **Schintlmeister,A.,** 1989, Zoogeographie der palaearktischen Notodontidae (Lepidoptera). Neue ent Nachr. 25: 1-117, 20 Abb.
790. **Schintlmeister,A.,** 1998, Notes on some asiatic Furcula Lamarck,1816 (Lepidoptera, Notodontidae). Entomofauna 19 (2): 77-108, 4 Pls., textfigs., 4 maps.
791. **Schintlmeister,A., Dubatolov,V.V., Sviridov,A.V., et al.,** 1987, Verzeichnis und Verbreitung der Notodontidae der UdSSR (Lepidoptera). Nota lepid. 10 (2): 94-111, 4 Abb.
792. **Scholz,A. & E.Jäckh,** 1994, Taxonomie und Verbreitung der westpaläarktischen Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 18(4): [3]-[63], 65 figs.
793. **Schoorl,J.W.,** 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295,138 figs., 1 pl., 33 tab.
794. **Schulte,A.,** 1989, Einige neue Pieriden-Taxa aus dem Kaukasus, dem Pamir und Afghanistan. Nachr. ent. Ver. Apollo (N.F.) 10(4): 291-297, 1 Taf.
795. **Schurian,K.G.,** 1988, Neueinteilung des Subgenus Lysandra der Gattung Polyommatus Latreille (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 98 (10): 129-144.
796. **Schurian,K.G.,** 1989, Revision der Lysandra-Gruppe des Genus Polyommatus Latr. (Lepidoptera, Lycaenidae). Neue ent. Nachr. 24: 1-181, 29 Taf.

797. **Schurian,K.G., Hagen,W.Ten & H.-G. Mark,** 1999, Beitrag zur Biologie sowie Versuch einer taxonomischen Einordnung von *Plebeius (Vacciniina) loewii* (Zeller,1847) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20(1): 1-16, figs.
798. **Schüssler,H.,** 1933, Saturniidae: 1.Subfam. Attacinae. [in] Strand,E., Lepidopterorum Catalogus Pars 55. 81pp. Dr.W.Junk Berlin.
799. **Scoble,M.J., Pitkin,L.M., Parsons,M., Honey,M.R. & B.R.Pitkin,** 1999, Geometrid Moths of the World. 1400pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup.
800. **Scopoli,J.A.,** 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.
801. **Seebolds,T.,** 1898, Beiträge zur Microlepidopterenfauna des Kaukasus, Taurus und Syriens. Dt. ent. Z., Iris 11: 20-32.
802. **Seitz,A.,** 1909, Familie: Syntomidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart.
803. **Seitz,A.,** 1910, Familie: Arctiidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart.
804. **Seitz,A.,** 1933, Familie Cymatophoridae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 187-195. Stuttgart.
805. **Sheljuzhko,L.,** 1913, Lepidopterologische Notizen V. Eine neue *Zeuzera* aus Transcaucasien. *Zeuzera nubila babadzhanidii* (subspec.nov.). Dt. ent. Z., Iris 23: 21-22, fig.5.
806. **Sheljuzhko,L.,** 1924, Uebersicht der kaukasischen Rassen von *Parnassius apollo* L. Mitt. münch. ent. Ges. 14: 42-54.
807. **Sheljuzhko,L.,** 1925, Eine neue Rasse von *Pararge climene* Esp. *Pararge climene* Esp. *tkatshukovi* (subsp.nov.). Ent. Anz. 5 (12): 89-91.
808. **Sheljuzhko,L.,** 1926, Neue palaearktische Heteroceren. Dt. ent. Z., Iris 40: 1-10, 4 Abb.
809. **Sheljuzhko,L.,** 1926, Neue palaearktische Heteroceren. Dt. ent. Z., Iris 40: 56-65.
810. **Sheljuzhko,L.,** 1927, *Zerynthia cerisyi* Godart in Transcaucasien. Dt. ent. Z., Iris 40: 197-204.
811. **Sheljuzhko,L.,** 1927, *Callogonia (Telesilla) virgo* Tr. in Transcaucasien. Lep. Rdsch. 1: 134-136.
812. **Sheljuzhko,L.,** 1931, Einige Randbemerkungen zum "Supplement" zu den "Gross-Schmetterlingen der Erde" herausgegeben von Dr.A.Seitz. Papilionidae und Pieridae. Int. ent. Z. 25: 69-74.
813. **Sheljuzhko,L.,** 1934, Eine neue *Callimorpha dominula*-Rasse aus dem Kaukasus. *Callimorpha dominula teberdina* (ssp.nov.). Ent. Z., Frankf. a. M. 48 (10): 73-75.
814. **Sheljuzhko,L.,** 1934, Neue Lepidopteren aus dem Nordkaukasus. Z. öst. EntVer.19: 30-32, 39-40, Taf.
815. **Sheljuzhko,L.,** 1935, Zwei neue *Parnassius*-Rassen aus Transkaukasien. Z. öst. EntVer. 20: 22-24, Taf.
816. **Sheljuzhko,L.,** 1935, Eine neue Rasse von *Callimorpha quadripunctaria* Poda aus Transkaukasien. *Callimorpha quadripunctaria tkatshukovi* (ssp.nov.). Z. öst. EntVer. 20: 21-22, 36, 67.
817. **Sheljuzhko,L.,** 1937, Lepidopterologische Ergebnisse meiner Reise nach dem Teberda-Gebiete (Nordwest-Kaukasus) Folia zool. Hydrobiol. 8: 117-140, Taf. 6.
818. **Sheljuzhko,L.,** 1943, Neue palaearktische Lasiocampiden. Z. wien. ent. Ges. 28: 245-250, Pl.
819. **Sheljuzhko,L.,** 1956, Über *Parnassius mnemosyne teberdaensis* Eisner. Ent. Z., Frankf. a. M. 66: 213-214.
820. **Sheljuzhko,L.,** 1961, *Parnassius nordmanni* Mén. in Kleinasien. Ent. Z., Frankf. a. M. 71: 33-36, fig.
821. **Shirozu,T. & H.Yamamoto,** 1956, A generic revision and philogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls.
822. **Sibatani,A.,** 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs.
823. **Sinev,S.Y.,** 1986, A List of Momphid moths (Lepidoptera, Momphidae) of the USSR fauna. Trudy vses. ent. Obshch. 67: 19-74.

824. **Smiles, K.H.**, 1979, A revision of the subgenus *Dysgnophos* (Lepidoptera, Geometridae). J. nat. Hist. 13: 99-119, figs.
825. **Sovinsky, V.**, 1905, *Callophrys rubi chalybeitincta* n.ssp. Russk. ent. Obozr. 5: 109.
826. **Sovinsky, V.**, 1915, Notice sur les races caucasiens de *Lycaena damon* Schiff. Russk. ent. Obozr. 15: 383-391.
827. **Spatenka, K. & O.Gorbunov**, 1992, Vier neue palaearktische Glasflügler (Sesiidae, Lepidoptera). Entomofauna 13 (23): 377-396, figs.
828. **Spatenka, K.**, 1992, Weitere neue palaearktische Sesiiden (Lepidoptera, Sesiidae). Alexanor 17 (7): 427-446, 19 figs.
829. **Spatenka, K., Gorbunov, O., Lastuvka, Z., Tosevki, I. & Y.Arita**, 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 17 (1): 1-20.
830. **Speidel, W. & L.Aarvik**, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22.
831. **Speidel, W.**, 1989, Die Synonymie von *Pyrausta aerealis* (Hübner) (Lepidoptera, Crambidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 175-177.
832. **Speyer, A.**, 1879, Die Hesperiden-Gattungen des europäischen Faunengebiets II. Nachträge Das Flügelgeäder. Stettin ent. Ztg. 40: 477-500.
833. **Speyer, A.**, 1879, Neue Hesperiden des paläarktischen Faunengebiets. Stettin ent. Ztg. 40: 342-352.
834. **Stauder, H.**, 1924, Neue Palaearktenformen II. Mitt. münch. ent. Ges. 14: 59-66.
835. **Staudinger, O. & H.Rebel**, 1901, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H.Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. xxxii+411 S. Berlin.
836. **Staudinger, O.**, 1861, Macrolepidoptera. [in] Staudinger, O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi+84 S. Dresden.
837. **Staudinger, O.**, 1871, Macrolepidoptera. [in] Staudinger, O. & M.Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. xxxviii+200 S. Dresden.
838. **Staudinger, O.**, 1874, Einige neue Lepidopteren des europäischen Faunengebiets. Stettin ent. Ztg. 35: 87-98.
839. **Staudinger, O.**, 1878-1881, Lepidopteren-Fauna Kleinasien's. Horae Soc. ent. ross. 14: 176-482; 15: 159-435; 16: 65-135.
840. **Staudinger, O.**, 1879, Ueber die Lepidopteren südöstlichen europäischen Russlands. Stettin ent. Ztg. 40: 315-328.
841. **Staudinger, O.**, 1892, Neue Arten und Varietäten von paläarktischen Geometriden aus meiner Sammlung. Dt. ent. Z., Iris 5 (1): 141-260.
842. **Steiniger, H.**, 1984, Anmerkungen über den Beitrag zur Lepidopteren-Fauna des Großen Kaukasus von Alberti & Fritsch (1983) (Lep., Lycaenidae). Nota lepid. 7 (2): 98-100.
843. **Stempffer, H.**, 1931, Contribution a l'etude de quelques especes du genre *Lycaeides* Hübner. Annls Soc. ent. Fr. 1931: 121-132, 3 Pls.
844. **Stephens, J.F.**, 1827-1835, Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls.1-12; 2 (1828-1829): 203pp., pls.13-24; 3 (1829-1831): 337pp., pls.25-32; 4 (1831-1835): 436pp., pls. 33-41. Baldwin & Cradock, London.
845. **Stichel, H.**, 1908, Die Lepidopteren-Gattung *Parnassius* Latreille mit besonderer Berücksichtigung der historischen, morphologischen und biologischen Verhältnisse. Berl. ent. Z. (Sitzb. 1906) 52: (15)-(26).
846. **Strand, E.**, 1910, Familie: Lymantriidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart.
847. **Strand, E.**, 1911, Familie: Thaumetopoeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart.
848. **Swainson, W.**, 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188.
849. **Tams, W.H.T. & J.Bowden**, 1953, A revision of the African species of *Sesamia* Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls.

850. **Tarmann,G.,** 1977, Neue Funde von *Procris* (*Lucasiterna*) *horni* Alberti,1937 (Lepidoptera, Zygaenidae). Mitt. münch. ent. Ges. 67: 91-94, 5 Abb.
851. **Tauber,A.F.,** 1970, Glaziale Reliktformen der Gattung *Maniola* (Lep. Satyridae) in Vorderasien. Z. ArbGem. öst. Ent. 22(4): 101-119, 13 Abb.
852. **Thomas,W.,** 1988, *Callimorpha splendidior* Tams eine eigene Art (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 9(3): 177-186, 4 Abb.
853. **Thomson,G.,** 1973, Geographical variation of *Maniola jurtina* (L.) (Lepidoptera, Satyridae). Tijdschr. Ent. 116(12): 185-227, 2 Pl.
854. **Tikhonov,V.,** 1994, Neue und wenig bekannte *Entephria*-Arten aus dem Kaukasus (Lepidoptera, Geometridae). Atalanta 25(1/2): 381-388, Taf.XVIa.
855. **Tikhonov,V.,** 1994, Zwei neue Geometriden-Arten aus dem Kaukasus (Lepidoptera, Geometridae). Atalanta 25(1/2): 373-379, Pl.XVIb.
856. **Toll,S.,** 1962, Materialien zur Kenntnis der palaearktischen Arten der Familie Coleophoridae. Acta zool. cracov. 7 (16): 577-720, 133 figs.
857. **Tolman,T. & R.Lewington,** 1997, Butterflies of Britain and Europe. 320pp., 104 pls., 429 maps. Harper Collins Publ. London.
858. **Treitschke,F.,** 1825, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (1), 414 pp. Leipzig.
859. **Treitschke,F.,** 1826, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (2), 417 pp. Leipzig.
860. **Treitschke,F.,** 1826, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (3), 419 pp. Leipzig.
861. **Treitschke,F.,** 1827, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VI (1), 444 pp. Leipzig.
862. **Treitschke,F.,** 1828, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VI (2), 319 pp. Leipzig.
863. **Treitschke,F.,** 1829, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VII, 257 pp. Leipzig.
864. **Treitschke,F.,** 1830, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VII, 312 pp. Leipzig.
865. **Treitschke,F.,** 1832, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom IX (1), 272 pp. Leipzig.
866. **Treitschke,F.,** 1833, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom IX (2), 294 pp. Leipzig.
867. **Treitschke,F.,** 1834, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (1), 286 pp. Leipzig.
868. **Treitschke,F.,** 1835, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (2), 340 pp. Leipzig.
869. **Treitschke,F.,** 1835, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (3), 302 pp. Leipzig.
870. **Tremewan,W.G.,** 1961, The subgenera of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. Entomologist's Rec. J. Var. 73: 200-203.
871. **Tremewan,W.G.,** 1961, A Catalogue of the types and other specimens in the British Museum (Natural History) of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. Bull. Brit. Mus. (Nat. Hist.) Ent. 10 (7): 239-314, Pls. 50-64.
872. **Tremewan,W.G.,** 1964, The *Silvicola* Burgeff group of the genus *Zygaena* Fabricius (Lep. Zygaenidae). Entomologist's Rec. J. Var. 76: 1-10, 46-54, 74-82.
873. **Tremewan,W.G.,** 1975, On *Zygaena* Fabricius (Lep. Zygaenidae) from Iran. Entomologist's Gaz. 26: 229-248, Pl.6, 12 figs.
874. **Trusch,R. & S.Erlacher,** [2003], Taxonomic changes in the geometrid moths taxon *Dyscia* Hübner,[1825] (Lepidoptera, Geometridae, Ennominae). Eur. J. Ent. 99 (4): 529-541.
875. **Tusov,V.K. [ed.],** 2000, Families Libytheidae - Lycaenidae. Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 2. 579pp., Pls. Pensoft Publ., Sofia.

876. **Tusov,V.K.**, 1997, Family: Pieridae, [in] Tusov,V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
877. **Tusov,V.K.**, 1997, Introduction, [in] Tusov,V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
878. **Tutt,J.W.**, 1892, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51.
879. **Tutt,J.W.**, 1892, [Reply to "Classification by structure of imago by E.Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111.
880. **Tutt,J.W.**, 1893, The genus *Xanthia*: with notes on variation, habits and affinities. Entomologist's Rec. J. Var. 4: 25-28, 69-71, 93-96.
881. **Tutt,J.W.**, 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92.
882. **Tutt,J.W.**, 1896, Contributions to the fauna of Dauphiné Alps-I. Entomologist's Rec. J. Var. 8: 253-260.
883. **Tutt,J.W.**, 1897, Contributions to the fauna of Dauphiné Alps-II. Entomologist's Rec. J. Var. 9: 13-16.
884. **Tutt,J.W.**, 1897, Contributions to the fauna of Dauphiné Alps-III. Entomologist's Rec. J. Var. 9: 52-55.
885. **Tutt,J.W.**, 1897, Contributions to the fauna of Dauphiné Alps-IV. Entomologist's Rec. J. Var. 9: 79-82.
886. **Tutt,J.W.**, 1897, Contributions to the fauna of Dauphiné Alps-VIII. Entomologist's Rec. J. Var. 9: 202-203.
887. **Urbahn,E.**, 1971, Eine neue *Anaitis*-Art aus Transkaukasien: *Anaitis uniformata* n.sp. Ent. Z., Frankf. a. M. 81 (21): 244-247, Abb.
888. **Urbahn,E.**, 1974, Neues über *Anaitis uniformata* Urbahn und *A.praeformata* Hbn. (Lep., Geometridae). Ent. Z., Frankf. a. M. 84 (6): 53-58, 3 Abb.
889. **Ustjuzhanin,P.Y.**, 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palearctic Region. Nota lepid. 24 (3): 11-32.
890. **Uygun,N., et al.**, 1995, A serious citrus pest: Citrus leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae). Turk. J. Ent. 19: 247-252.
891. **Uygun,N., et al.**, 1997, Studies on biological control of *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101.
892. **V.P.Soljanikov**, 1991, New species of the genus *Fumea* Haw. (Lepidoptera, Psychidae). Ent. Obozr. 1991 (4): 920-927, figs. [in Russian]
893. **Vane-Wright,R.I. & P.R.Ackery**, 1984, The Biology of Butterflies. 429pp. 34 figs. Princeton University Press, New Jersey.
894. **Vardikyan,S.A.**, 1985, New geometrid species of the genus *Eupithecia* Curt. (Lepidoptera, Geometridae) from the SSR of Armenia. Doklady Akad. Nauk. armyanSSR 81 (1): 45-48.
895. **Vardikyan,S.A.**, 1985, Atlas of the genitalic apparatus of Geometer Moths (Geometridae, Lepidoptera) of SSR Armenia. Akad. Nauk.Arm. Inst. Zool., 136pp., 99 Pls. Erevan [in Russian].
896. **Varga,Z. & L.Ronkay**, 1989, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae) I. The description of a new subgenus two new species and a new subspecies. Nota lepid. 12 (1):
897. **Varga,Z. & L.Ronkay**, 1996, New and revised taxa of the genera *Chersotis* Boisduval, 1840 and *Dichagyris* Lederer, 1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). Esperiana 4: 103-132, 83 figs., 2 Pls.
898. **Varga,Z.**, 1975, Zoogeographische Gliederung der palaearktischen Orealfauna. Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa: pp. 263-284, 6 Abb. Junk & The Hague.
899. **Varga,Z.**, 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einleitung der europäischen Tagsschmetterlinge (Lepidoptera, Diurna). Acta univ. debrecen (Ser.2) Biologica 14: 223-285, 33 Abb.

900. **Varga,Z.**, 1979, Neue Noctuiden aus der Sammlung Vartian (Wien), II. Z. ArbGem. öst. Ent. 31 (1/2): 1-12, 7 Abb. 1 Taf.
901. **Verity,R.**, 1905-1911, Rhopalocera palaeartica. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze.
902. **Verity,R.**, 1913, Revision of the Linnean types of palaeartic Rhopalocera. J. Linn. Soc. (Zool.) 32: 173-191.
903. **Verity,R.**, 1914, Dates of Publication of "Rhopalocera Palaeartica". Novit. zool. 21: 426.
904. **Verity,R.**, 1929, The asiatic origins of the Western palaeartic Rhopalocera examplified by Melitaea didyma Esp. Entomologist's Rec. J. Var. 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132.
905. **Verity,R.**, 1931, On the geographical variations and evolution of Lycaeides argus L. (Lycaenidae). Dt. ent. Z., Iris 45: 30-69.
906. **Verity,R.**, 1932, The geographical Variations of Boloria euphrosyne L. Entomologist's Rec. J. Var. 44: 110-115, 119-121.
907. **Verity,R.**, 1939, Race persane du Palaeoloweia tityrus Poda,1761 =dorilas Hufnagel,1766=dorilis (par lapsus) Stdgr.,1861. Lambillionea 39: 183-186.
908. **Verity,R.**, 1939, Essai sur la distinction des especes du groupe de Lysandra coridon Poda. Lambillionea 39: 210-222.
909. **Viidalepp,J. & V.Mironov**, 2006, Pasiphila hyrcanica sp.n. (Geometridae, Larentiinae) - anew species from Azerbaijan and Iran. Nota lepid. 28 (3/4): 197-201, figs.
910. **Viidalepp,Y.R.**, 1977, A list of Geometridae (Lepidoptera) of the USSR, II. Ent. Obozr. 56 (3): 564-576.
911. **Viidalepp,Y.R.**, 1996, Checklist of the Geometridae (Lepidoptera) of the former U.S.S.R. 111 pp. Apollo Books.
912. **Vives Moreno,A.**, 1988, Catalogo Mundial Sistemático y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196.
913. **Vives Moreno,A.**, 1994, Catalogo sistemático y sinonímico de los lepidópteros de la península Ibérica y Baleares (Insecta, Lepidoptera) (segunda Parte) 775pp. Ministerio de Agricultura, Pesca y Alimentación. Madrid.
914. **Vojnits,A.M.**, 1982, New Eupithecia species from the Asiatic regions of the Soviet Union and Iran. Acta zool. hung. 28 (3/4): 403-420, 21 figs.
915. **Wagner,S.**, 1975, 4. Beitrag. Die vorderasiatischen Formen der Melanargia russiae (Esper,1784), [in] Ebert,G. et al., Beiträage zur Kenntnis der Rhopaloceren Irans. J. ent. Soc. Iran, Suppl. 1: 47-62, figs.
916. **Wagner,S.**, 1988, Wer hat als Autor des Gattungsnamens Parnassius (Lepidoptera, Papilionidae) zu gelten ? Nota lepid. 11(3): 237-238.
917. **Wagner,S.**, [1990], 10 Thesen zum Arten- und Biotopschutz der Schmetterlinge. Atalanta 20 (1989): 131-133.
918. **Wagner,H. & R.Pfützner**, 1911, Hepialidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr.W.Junk Berlin.
919. **Wagner,H.**, 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin.
920. **Walker,F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum (Heterocera) 1: 1-278. London.
921. **Walker,F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum (Heterocera) 2: 279-582. London.
922. **Walker,F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum (Heterocera) 3: 583-775. London.
923. **Walker,F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum (Heterocera) 4: 775-976. London.
924. **Walker,F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum (Heterocera) 5: 977-1258. London.
925. **Walker,F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum (Heterocera) 6: 1259-1508. London.

926. **Walker,F.,** 1856, List of the specimens of lepidopterous insects in the collection of the British Museum (Heterocera) 7: 1509-1808. London.
927. **Walker,F.,** 1856, List of the specimens of lepidopterous insects in the collection of the British Museum (Sphingides) 8: 1-271. London.
928. **Walker,F.,** 1856, List of the specimens of lepidopterous insects in the collection of the British Museum (Noctuidae) 9: 1-257. London.
929. **Walker,F.,** 1857, List of the specimens of lepidopterous insects in the collection of the British Museum (Noctuidae) 11: 493-764. London.
930. **Walker,F.,** 1858, List of the specimens of lepidopterous insects in the collection of the British Museum (Noctuidae) 14: 1237-1520. London.
931. **Walker,F.,** 1858, List of the specimens of lepidopterous insects in the collection of the British Museum (Noctuidae) 15: 1521-1888. London.
932. **Walker,F.,** 1859, List of the specimens of lepidopterous insects in the collection of the British Museum (Pyrilides) 17: 255-508. London.
933. **Walker,F.,** 1859, List of the specimens of lepidopterous insects in the collection of the British Museum (Pyrilides) 18: 509-798. London.
934. **Walker,F.,** 1859, List of the specimens of lepidopterous insects in the collection of the British Museum (Pyrilides) 19: 799-1036. London.
935. **Walker,F.,** 1860, List of the specimens of lepidopterous insects in the collection of the British Museum (Geometrides) 20: 1-276. London.
936. **Walker,F.,** 1860, List of the specimens of lepidopterous insects in the collection of the British Museum (Geometrides) 21: 277-498. London.
937. **Walker,F.,** 1861, List of the specimens of lepidopterous insects in the collection of the British Museum (Geometrides) 22: 499-755. London.
938. **Walker,F.,** 1861, List of the specimens of lepidopterous insects in the collection of the British Museum (Geometrites) 23: 756-1020. London.
939. **Walker,F.,** 1862, List of the specimens of lepidopterous insects in the collection of the British Museum (Geometrites) 24: 1021-1280. London.
940. **Walker,F.,** 1862, List of the specimens of lepidopterous insects in the collection of the British Museum (Geometrites) 25: 1281-1477. London.
941. **Walker,F.,** 1863, List of the specimens of lepidopterous insects in the collection of the British Museum (Crambites & Tortricites) 27: 1-286. London.
942. **Walker,F.,** 1863, List of the specimens of lepidopterous insects in the collection of the British Museum (Crambites & Tortricites) 28: 288-561. London.
943. **Walker,F.,** 1864, List of the specimens of lepidopterous insects in the collection of the British Museum (Tineites) 29: 562-835. London.
944. **Walker,F.,** 1864, List of the specimens of lepidopterous insects in the collection of the British Museum (Tineites) 30: 836-1096. London.
945. **Walker,F.,** 1865, List of the specimens of lepidopterous insects in the collection of the British Museum (Supplement) 32: 323-706. London.
946. **Walker,F.,** 1865, List of the specimens of lepidopterous insects in the collection of the British Museum (Supplement) 33: 707-1120. London.
947. **Walker,F.,** 1866, List of the specimens of lepidopterous insects in the collection of the British Museum (Supplement) 35: 1535-2040. London.
948. **Walker,F.,** [1857], List of the specimens of lepidopterous insects in the collection of the British Museum (Noctuidae) 10: 258-491. London.
949. **Walker,F.,** [1858], List of the specimens of lepidopterous insects in the collection of the British Museum (Noctuidae) 12: 765-982. London.
950. **Walker,F.,** [1858], List of the specimens of lepidopterous insects in the collection of the British Museum (Noctuidae) 13: 983-1236. London.
951. **Walker,F.,** [1859], List of the specimens of lepidopterous insects in the collection of the British Museum (Deltoides) 16: 1-253. London.
952. **Walker,F.,** [1863], List of the specimens of lepidopterous insects in the collection of the British Museum (Geometrites) 26: 1478-1796. London.

953. **Walker, F.**, [1865], List of the specimens of lepidopterous insects in the collection of the British Museum (Supplement) 31: 1-321. London.
954. **Walker, F.**, [1866], List of the specimens of lepidopterous insects in the collection of the British Museum (Supplement) 34: 1121-1534. London.
955. **Walsingham, M.A.**, 1900, Asiatic Tortricidae. *Ann. Mag. nat. Hist.* 7 (5): 368-386, 451-490; 7 (6): 121-137, 234-243, 333-341, 401-409, 429-448.
956. **Walsingham, R.H. & J.H. Durrant**, 1898, Note on Goeze's Beiträge. *Entomologist's mon. Mag.* 34: 180.
957. **Warnecke, G.**, 1935, Über das Ei von *Parnassius nordmanni* Mén. *Parnassiana* 3: 65-66.
958. **Warnecke, G.**, 1943, Über die Lepidopterologische Literatur des Kaukasus. *Z. wien. ent. Ges.* 28: 169-176.
959. **Warren, B.C.S.**, 1926, Monograph of the tribe Hesperii (European species) with revised classification of the subfamily Hesperinae (Palearctic species) based on the genital armatures of the males. *Trans. ent. Soc. Lond.* 74: 1-170, Pls.
960. **Warren, B.C.S.**, 1930, A definition of the satyrid genera *Erebia*, *Callerebia*, *Paralasa* and *Erebomorpha*. *Entomologist's Rec. J. Var.* 42: 103-107.
961. **Warren, B.C.S.**, 1935, Notes on a new subspecies of *Erebia callias*. *Entomologist's Rec. J. Var.* 47: 3-4.
962. **Warren, B.C.S.**, 1936, Monograph of the genus *Erebia*. vii+407pp. 104 Pls. *Br. Mus. (Nat. Hist.)*, London.
963. **Warren, B.C.S.**, 1938, On the racial variability of *Erebia melancholica* H.-S. *Entomologist* 71: 246-250.
964. **Warren, B.C.S.**, 1942, Genus *Pandoriana* gen. nov. A preliminary description. *Entomologist* 75: 245-246.
965. **Warren, B.C.S.**, 1944, Review of the classification of the Argynni: with a systematic revision of the genus *Boloria*. *Trans. R. ent. Soc. Lond.* 94: 1-101, Pls.
966. **Warren, B.C.S.**, 1949, A note on *Erebia dromulus* Stgr. *Entomologist* 82: 190.
967. **Warren, B.C.S.**, 1951, Speciation in the genus *Colias*: with special reference to *C. hyale* and *C. australis*. *Lambillionea* 50 (1950): 90-98, pls.v-vi.
968. **Warren, B.C.S.**, 1961, The androconial scales and their bearing on the question of speciation in the genus *Pieris*. *Ent. Tidskr.* 82: 121-148, pls.1-3.
969. **Warren, W.**, 1909-1913, Familia Noctuidae, [in] Seitz, A., *Die Gross-Schmett. Erde* 3: pp. 9-444, Taf., Stuttgart.
970. **Watkins, H.T.G.**, 1921, Moths of Mesopotamia and N. W. Persia Part II. Sphinges & Bombyces. *J. Bomb. nat. Hist. Soc.* 28: 184-186.
971. **Watson, E.Y.**, 1893, A proposed classification of the Hesperidae, with a revision of the genera. *Proc. zool. Soc. Lond.* 1893: 3-132, 3 Pls.
972. **Wehrli, E.**, 1932, Neue Psychiden und Geometriden (Lepidopteren). *Ent. Rdsch.* 49: 454-457.
973. **Wehrli, E.**, 1933, Familie Psychidae. [In] Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 211-226. Stuttgart.
974. **Wehrli, E.**, 1938, Nachtrag zu meiner Arbeit in Nr.31 d. J. Seite 354. *Ent. Rdsch.* 55: 433-435.
975. **Wehrli, E.**, 1939, Neue Gattungen, Arten und Rassen aus China und Transkaukasien. *Ent. Rdsch.* 56 (33): 363-366.
976. **Wehrli, E.**, 1939, Einige neue Arten und Rassen aus dem südwestlichen Iran und aus dem Irak, sowie ein neues Subgenus aus dem letzteren (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 29 (1): 69-77.
977. **Wehrli, E.**, 1939-1954, Subfamilie: Geometrinae. [In] Seitz, A., *Die Gross-Schmetterlinge der Erde (Suppl.)* 4: 254-685, Pls. Stuttgart.
978. **Wehrli, E.**, 1950, Die Einteilung der Gattung *Dyscia* Hbn. *Ent. Ber., Amst.* 13: 77-80, 6 figs.
979. **Weidenhoffer, Z. & J. Vanek**, 1977, Beitrag zur Biologie von *Tomares romanovi* und *Tomares callimachus* (Lep.: Lycaenidae). *Ent. Z., Frankf. a. M.* 87 (12): 131-134, 3 Abb.
980. **Weidenhoffer, Z. & W. Eckweiler**, 1988, Notes on the status of *Armenia hyrcanica* (Riley, 1939) (Lepidoptera, Lycaenidae). *Nota lepid.* 10(4): 241-246, 3 figs.

981. **Weiss,J.-C.**, 1991-1992, The Parnassiinae of the World. 2 pts. 48pp + 87pp. Pls.
982. **Werneburg,A.**, 1865, Über das Lepidopteren-Genus Colias, wie es in Staudinger's Catalog aufgestellt ist. Stettin ent. Ztg. 26: 272-288.
983. **Werny,K.**, [1967], Untersuchen über die Systematik der Tribus Thyatirini, Macrothyatirini, Habrosynini und Tetheini (Lepidoptera, Thyatiridae). Inaugural-Dissertation, Universität des Saarlandes.
984. **Whalley,P.E.S.**, 1963, A Revision of the World species of the genus Endotricha Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs.
985. **Whalley,P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9(10): 561-618, figs.
986. **Whalley,P.E.S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London.
987. **Whalley,P.E.S.**, 1973, The genus Etiella Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls.
988. **Willmott,K.R.**, 2003, Cladistic analysis of the Neotropical butterfly genus Adelpha (Lepidoptera, Nymphalidae), wit comments on the subtribal classification of Limenitini. Syst. Ent. 28: 279-322, figs.
989. **Wiltshire,E.P.**, 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. Entomologist's Rec. J. Var. 53: 101-106.
990. **Witt,T.**, 1974, Peridea korbi Rebel, bona species, und ihre Rassen (Lep., Notodontidae). Z. ArbGem. öst. Ent. 24(3): 89-102, 2 Taf.
991. **Witt,T.**, 1980, Melanismus und geographische Variabilität bei Notodonta dromedarius (Linné,1767) (Lepidoptera, Notodontidae). Entomofauna 1(7): 73-91, Abb.
992. **Wnukowsky,W.**, 1929, Einige Nomenklatur-Notizen über die paläarktischen Lepidopteren. Zool. Anz. 83: 221-224.
993. **Wocke,M.**, 1861, Microlepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. 85-192S. Dresden.
994. **Wocke,M.**, 1871, Microlepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. 201-426S. Dreden.
995. **Wojtusiak,R.J. & W.Niesiolowski**, 1947, Lepidoptera of the Central Caucasus, collected during the Polish Alpine Expedition in 1935, with ecological and zoogeographical remarks. I. Part. Macrolepidoptera. Pr. Muz. przyr., Krakow 6: 1-74, Pls. xi,xii.
996. **Yakovlev,R.V.**, 2005, Two new genera of Carpenter Moths from the Palaearctic (Lepidoptera, Cossidae). Atalanta 35 (3/4): 357-368, figs.
997. **Yen,S.-H. & J.Minet**, 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs.
998. **Zagulyaev,A.K. & V.V.Filippova**, 1976, The new and little known species of the Plume Moths (Lepidoptera, Pterophoridae) of the fauna of the USSR. Proc. zool. Inst. USSR 64: 36-40, figs.
999. **Zagulyaev,A.K.**, 1961, The moths of the genus Triaxomera Zag. (Lepidoptera, Tineidae, Nemapogoninae). Zool. Zh. 40: 36-51, figs.
1000. **Zagulyaev,A.K.**, 1962, Revision of the palaearctic species of the genus Nemapogon Schr. (Lepidoptera, Tineidae). Ent. Obozr. 41: 182-189, figs.
1001. **Zagulyaev,A.K.**, 1965, New species of the genus Scardia (Lepidoptera, Tineidae). Ent. Obozr. 44: 411-413, figs.
1002. **Zagulyaev,A.K.**, 1975, Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4 no 5 Nastoyashchie Moli (Tineidae). 547pp., figs. Nauka Publishers, Leningrad.
1003. **Zagulyaev,A.K.**, 1982, New and little known species of moths (Lepidoptera, Tineidae, Micropterigidae, Pterophoridae) of the USSR and adjacent territories. Ent. Obozr. 1982: [engl. transl. Ent. Rev. 1983 (1): 93-109, 20 figs.
1004. **Zagulyaev,A.K.**, 1985, New species of moths (Lepidoptera: Psychidae, Thyrididae, Pterophoridae) from the U.S.S.R. Ent. Obozr. 64 (4): 773-788, figs.

- 1005. Zagulyaev, A.K.,** 1987, New and little known moths (Lepidoptera; Micropterigidae, Psychidae, Thyrididae, Pterophoridae) of the fauna of the U.S.S.R. -III. Ent. Obozr. 66 (2): 353-368, figs.
- 1006. Zagulyaev, A.K.,** 1993, New species of Microlepidoptera (Lepidoptera, Micropterigidae, Tineidae and Psychidae) of the fauna of Russia and adjacent countries, VI. Ent. Obozr. 72 (1): 119-133 [engl. transl. Ent. rev. 74(4): 1-16, 12 figs., 1995]
- 1007. Zagulyaev, A.K.,** 1994, New and little known species of moths (Lepidoptera, Micropterigidae, Eriocraniidae, Psychidae, Tineidae, and Alucitidae) of the fauna of Russia and adjacent countries, VII. Ent. Obozr. 73 (1): 114-127 [engl. transl. Ent. rev. 74(1): 11-24, 9 figs., 1995]
- 1008. Zagulyaev, A.K.,** 1995, New and little-known species of moth-like Lepidopterans (Lepidoptera: Psychidae, Tineidae, Pterophoridae, Alucitidae) of the fauna of Russia and neighboring territories, IX. Ent. Obozr. 74 (1): 105-119, figs. [in Russian]
- 1009. Zeller, P.C.,** 1839, Versuch einer naturgemässen Eintheilung der Schaben. Tinea. Isis 1839 (2): 243-349.
- 1010. Zhdanko, A.B.,** 1993, Systematics and distribution of Thersamonolycaena Vrt. (Lepidoptera, Lycaenidae). Ent. Obozr. 72(1): 134-142, 18 figs. [in Russian].
- 1011. Zhdanko, A.B.,** 1994, Systematics and distribution of Lycaenidae of the genus Thersamonia (Lepidoptera) [sic]. Ent. Obozr. 73(1): 144-152, 21 figs. [in Russian].
- 1012. Zhdanko, A.B.,** 1998, New species of the genera Callophrys Billb. and Polyommatus Latr. (Lepidoptera, Lycaenidae) from Asia and Caucasus. Vestn. Kaz. Univ. 5: 46-52, figs. [in Russian].
- 1013. Zolotuhin, V.V.,** 1992, An annotated Checklist of the Lasiocampidae of the Caucasus (Lepidoptera). Atalanta 23 (1/2): 225-243, 18 map.
- 1014. Zolotuhin, V.V.,** 1993, Lemoniidae (Lepidoptera) of the Caucasus. Ent. Obozr. 73 (2): 94-101 [engl. transl. Ent. rev. 73(5): 148-155, 3 figs., 1994]
- 1015. Zolotuhin, V.V.,** 1994, New and little known species of the genus Phyllodesma Hbn. (Lepidoptera, Lasiocampidae). Ent. Obozr. 73 (1): 136-143 [engl. transl. Ent. rev. 74(1): 33-40, 4 figs., 1995]
- 1016. Zolotuhin, V.V.,** 1997, Die Verbreitung von Proserpinus proserpina (Pallas, 1772) in Osteuropa und Mittelasien (Lepidoptera, Sphingidae). Atalanta 28 (1/2): 129-134.
- 1017. Zolotuhin, V.V.,** 1997, New and little known moths (Lepidoptera, Carposinidae, Drepanidae, Thyatiridae) in fauna of Russia and adjacent territories. Ent. Obozr. 76 (3).
- 1018. Zukowsky, B.,** 1936, Neue Arten und Formen der paläarktischen Familien Aegeriidae und Cossidae (Lep.). Ent. Rdsch. 53: 534-537, Abb.

Priamus & Priamus Supplement

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara (CESA), established in 1981. It appears in volumes at irregular intervals. It includes shorter original articles of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Priamus Supplement is the first international, electronical publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals as PDF format and announced in the internet site of the CESA. It includes larger original articles and theses of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁹, Miscellaneous Papers (ISSN 1015-8235)¹⁰, Memoirs (ISSN-8227)¹¹, DVD Films¹², Iconographia Insectorum¹³, Cesa Publications on African Lepidoptera (series)¹⁴

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor
Assistent: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrečki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

The published copies of this article are found in the following major Libraries: *British Museum, Natural History, London, England - California Academy of Sciences, San Francisco, U.S.A. - Library of Transvaal Museum, Pretoria, South Africa - Bibliothek, Entomologischen Museum Dr. Ulf Eitschberger, Germany - Deutsche Entomologische Institut, Eberswalde, Germany.*



⁹ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

¹⁰ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

¹¹ <http://www.cesa-tr.org/Memoirs.htm> -

¹² <http://www.cesa-tr.org/CDF.htm>

¹³ <http://www.cesa-tr.org/Icon.htm>

¹⁴ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available